GOVERNMENT NOTICE No. 5 published on 1/1/2021

THE VALUE ADDED TAX ACT, (CAP. 148)

#### **ORDER**

(Made under section 6 (2))

THE VALUE ADDED TAX (EXEMPTION) (REHABILITATION AND UPGRADING OF IRINGA AIRPORT) (TANZANIA NATIONAL ROAD AGENCY (TANROADS)) (M/S SINOHYDRO CORPORATION LIMITED) ORDER, 2020

#### Citation and Commencement

1. This Order may be cited as the Value Added Tax (Exemption)(Rehabilitation and Upgrading of Iringa Airport Runway)(Tanzania National Road Agency (TANROADS)) (M/S Sinohydro Corporation Limited) Order, 2020 and shall be deemed to have come into operation on the 24<sup>th</sup> day of July, 2020.

#### Exemption

- 2.-(1) Subject to the conditions specified in paragraph 3 of this Order, and any other conditions as may be specified by the Commissioner, the whole of the Value Added Tax payable on the on the goods or services specified in the Schedule to this Order imported or purchased prior to clearance through customs or locally purchased by or on behalf of M/S Sinohydro Corporation Limited to be used solely in the project of Rehabilitation of Iringa Airport is hereby exempt.
- (2) For avoidance of doubt, the goods imported or locally purchased, whether directly by the Government entity or through a contractor shall remain the property of the Government of Tanzania.

#### Conditions

3. The exemption granted under this Order shall cease to have effect and the Value Added Tax shall become due and be payable as if this exemption had not been made if the said goods or services are used for other purposes or sold or disposed of in any way to another person not entitled to enjoy similar privileges as are conferred under this Order.

| GN. No. 5 (contd.) |       |         |       |       |        |    |                  |     |    |        |
|--------------------|-------|---------|-------|-------|--------|----|------------------|-----|----|--------|
| Expiry             | 2022. | 4. This | Order | shall | expire | on | 30 <sup>th</sup> | day | of | March, |
|                    |       | -       |       |       |        |    |                  |     |    |        |
|                    |       |         | SCHED | ULE   |        |    |                  |     |    |        |
|                    |       | -       |       |       |        |    |                  |     |    |        |

(Made under paragraph 2(1)

#### GOODS AND SERVICES

| S/N | ITEM DESCRIPTION                                 | QUAN<br>TITY<br>(QTY) | UNIT<br>OF<br>MEAS<br>URE | PLACE OF<br>PURCHASE OF<br>ITEMS (Local<br>or Imported) |
|-----|--|-----------------------|---------------------------|---|
| A   | Major Equipment and Plant                        |                       |                           |   |
| A1  | Station Wagon                                    | 2                     | Unit                      | Local/ Imported   |
| A2  | Double Cab Pickup                                | 3                     | Unit                      | Local/ Imported   |
|     |  |                       |                           | •   |
| В   | Minor Machineries, Tools and Mechanical Supplies |                       |                           |   |
|     |  |                       |                           |   |
| C   | Spare parts and accessories                      |                       |                           |   |
| C1  | battery for construction machinery various sizes | 400                   | Nr                        | Local/ Imported   |
| C2  | Tyre for constructon machines/tippers 12.00-20   | 400                   | Nr                        | Local/ Imported   |
| C3  | Tyre for constructon machines/tippers 10.00-20   | 250                   | Nr                        | Local/ Imported   |
| C4  | Tyre for constructon machines/tippers 7.50-16    | 150                   | Nr                        | Local/ Imported   |
| C5  | Tyre for constructon machines/tippers 23.5-25    | 100                   | Nr                        | Local/ Imported   |
| С6  | Tyre for constructon machines/tippers 17.5-25    | 100                   | Nr                        | Local/ Imported   |
|     |  |                       |                           |   |
| D   | Material   |                       |                           |   |
| D1  | Electricity                                      | 500000                | Kwh                       | Local/ Imported   |
| D2  | Electric welding rod                             | 1000                  | Kgs                       | Local/ Imported   |
| D3  | Nail   | 1000                  | Kgs                       | Local/ Imported   |
| D4  | Drilling pipe                                    | 400                   | Nr                        | Local/ Imported   |
| D5  | Drilling bits                                    | 500                   | Nr                        | Local/ Imported   |
| D6  | Gamalin disinfection                             | 20000                 | Litres                    | Local/ Imported   |
| D7  | Galvanized iron wire                             | 10000                 | Kgs                       | Local/ Imported   |
| D8  | water proofing paint                             | 8000                  | Litres                    | Local/ Imported   |
| D9  | Gabion boxes                                     | 300                   | m3                        | Local/ Imported   |
| D10 | Plastic warning tape                             | 20000                 | m                         | Local/ Imported   |

|     |  |        | UNIT   | PLACE OF        |
|-----|--|--------|--------|-----------------|
| CAI | ITEM DESCRIPTION                           | QUAN   | OF     | PURCHASE OF     |
| S/N | ITEM DESCRIPTION                           | TITY   | MEAS   | ITEMS (Local    |
|     |  | (QTY)  | URE    | or Imported)    |
| D11 | Ladder                                     | 10     | Nr     | Local/ Imported |
| D12 | Thermoplastic road-marking paint           | 50000  | Kgs    | Local/ Imported |
| D13 | Glass beads                                | 12000  | Kgs    | Local/ Imported |
| D14 | Oxygen                                     | 1000   | m3     | Local/ Imported |
| D15 | Acetylene gas                              | 1000   | Kgs    | Local/ Imported |
| D16 | Timber                                     | 1000   | m3     | Local/ Imported |
| D17 | Waterproof cover                           | 30000  | m2     | Local/Imported  |
| D18 | Bitumen                                    | 3000   | Tonne  | Local/ Imported |
| D19 | Bituminous Prime Coat                      | 150000 | Litres | Local/ Imported |
| D20 | Bituminous Tack Coat                       | 50000  | Litres | Local/ Imported |
| D21 | Cement 42.5                                | 7000   | Tonne  | Local/ Imported |
| D22 | Cement 32.5                                | 27000  | Tonne  | Local/ Imported |
| D23 | High Yield Stress Steel Reinforcement      | 1500   | Tonne  | Local/ Imported |
| D24 | Bituminous water-proofing paint            | 2000   | m2     | Local/ Imported |
| D25 | Scaffold                                   | 50     | Tonne  | Local/ Imported |
| D26 | uPVC Pipe                                  | 3000   | m      | Local/ Imported |
| D27 | uPVC Fittings                              | 400    | Set.   | Local/ Imported |
| D28 | IT05 coated aluminum sheets                | 4000   | m2     | Local/ Imported |
| D29 | Iron sheets                                | 3000   | M      | Local/ Imported |
| D30 | Paints                                     | 1000   | Litres | Local/ Imported |
| D31 | Gypsum board                               | 2500   | m2     | Local/ Imported |
| D32 | Tiles                                      | 2500   | m2     | Local/ Imported |
| D33 | Aluminium windows                          | 500    | m2     | Local/ Imported |
| D34 | Hardwood Doors                             | 100    | Nr     | Local/ Imported |
| D35 | Concrete blocks                            | 3000   | m2     | Local/ Imported |
| D36 | Lights                                     | 500    | Nr     | Local/ Imported |
| D37 | PE Water Tank (SIMTANK)                    | 10     | Nr     | Local/ Imported |
| D38 | Water Booster Pumps                        | 20     | Nr     | Local/ Imported |
| D39 | PPR pipes                                  | 10000  | m      | Local/ Imported |
| D40 | PPR pipe fittings                          | 500    | Nr     | Local/ Imported |
| D41 | Various valves                             | 50     | Nr     | Local/ Imported |
| D42 | Project signboard                          | 2      | Nr     | Local/ Imported |
| D43 | Sand                                       | 12000  | m3     | Local/ Imported |
| D44 | Aggregate                                  | 14000  | m3     | Local/ Imported |
| D45 | 150mm Upvc Pipe                            | 8000   | m      | Local/ Imported |
| D46 | Termite medicine                           | 1800   | Litres | Local/ Imported |
| D47 | Wind cone complete with tubular steel mast | 2      | Nr     | Local/ Imported |
| D48 | Nursery Sods                               | 5000   | m2     | Local/ Imported |
| D49 | Seed Seed                                  | 30     | Kgs    | Local/ Imported |
| D50 | Trees and Shrubs                           | 20     | Nr     | Local/ Imported |
|     | Anti-intruder fencing, Height 2400mm with  |        | 111    |                 |
| D51 | additional 300mm buried and cranked top    | 8000   | m      | Local/ Imported |
| •   | •  | •      | •      | •               |

| S/N | ITEM DESCRIPTION   | QUAN<br>TITY<br>(QTY) | UNIT<br>OF<br>MEAS | PLACE OF<br>PURCHASE OF<br>ITEMS (Local |
|-----|--|-----------------------|--------------------|---|
|     | with 600mm diameter coiled razor wire deterrent  | (211)                 | URE                | or Imported)                            |
| D52 | Anti-intruder double gate, Height 2400mm, Width:6000mm   | 6                     | Nr                 | Local/ Imported                         |
| D53 | Anti-intruder Single gate, Height 2400mm,<br>Width:1600mm  | 4                     | Nr                 | Local/ Imported                         |
| D54 | Elevated unidirectional Approach light fitting complete with 1x50W (6.6 A) LED lamp, base plate, frangible coupling and all accessories etc.   | 34                    | Nr                 | Local/ Imported                         |
| D55 | Elevated bidirectional Runway Edge light fitting, clear / clear complete 2x33W (6.6 A) with lamps, base plate, frangible coupling and all accessories etc.:  | 22                    | Nr                 | Local/ Imported                         |
| D56 | Elevated bidirectional Runway Edge light fitting, yellow / clear complete with 2x33W (6.6 A) lamps, base plate, frangible coupling and all accessories etc.:   | 38                    | Nr                 | Local/ Imported                         |
| D57 | Elevated omnidirectional Taxiway / Apron and Turn Pad Edge light fitting complete with LED 1x10W (6.6 A) lamp, lens, mounting plate, frangible coupling and all accessories etc.   | 45                    | Nr                 | Local/ Imported                         |
| D58 | Threshold / Run End inset bi-directional Threshold / End light fitting (GREEN/RED) complete with 1x75 & 1x25 W (6.6 A) LED lamps, lens, filter and all accessories etc., bottom boxes with steel base / can / transformer housing box, epoxi and resin materials, all required accessories, connection of male and female connectors for primary and secondary cables, earthing of base / can , Cu ground Rod, counter poise / earth wire, sealing materials, Isolating Transformers, flexible pipes, joining of plug and receptacles, moulding of leads, etc. | 26                    | Nr                 | Local/ Imported                         |
| D59 | Mandatory / Location Guidance Sign Boards (Legend as approved) complete with 1x150W (6.6 A) LED lamps, made of aluminium frame with poly-carbonate sheet, frangible legs and all accessories etc.  | 4                     | Nr                 | Local/ Imported                         |
| D60 | Runway Distance Markers complete with 3x150W (6.6 A) LED lamp, made of aluminium frame with poly-carbonate sheet, frangible legs and all accessories etc.  | 10                    | Nr                 | Local/ Imported                         |
| D61 | PAPI unit complete with 2X200W (6.6 A) Halogen lamps, lens, filter, breakable coupling, legs, mounting assessmbly, local calibation kit and all accessories, Isolating Transformers, steel base / can / transformer  | 8                     | Nr                 | Local/ Imported                         |

| S/N | ITEM DESCRIPTION housing box, earthing of base / can, Cu   | QUAN<br>TITY<br>(QTY) | UNIT<br>OF<br>MEAS<br>URE | PLACE OF<br>PURCHASE OF<br>ITEMS (Local<br>or Imported) |
|-----|--|-----------------------|---------------------------|---|
|     | ground Rod, counter poise / earth wire,<br>sealing materials, all required accessories,<br>connection of male and female connectors for<br>primary and secondary cables, gaskets etc.  |                       |                           |   |
| D62 | Microprocessor controlled CCR (Constant Current Regulator), indoor type for remote as well as local operations complete with lighting arrestors, cable glands, earth connections, laying of power and control cables with end terminations between the L.V. panel / ALCMS panel and the CCRs, inter-connections. | 14                    | Nr                        | Local/ Imported   |
| D63 | LED illuminated WDI as per ICAO requirement, including supply and installtion of control panel, laying of fibre optics cable & power cables / wiring from junction box with end terminations on both sides etc.  | 2                     | Nr                        | Local/ Imported   |
| D64 | Rotating Beacon as per ICAO requirement complete with supply and installation of control panel, laying of power cables / wiring from control panel to the Rotating Beacon with termination on both side etc.   | 1                     | Nr                        | Local/ Imported   |
| D65 | 50 mm Al. pipe of following heights for mounting of Approach light fixtures.   | 2                     | Nr                        | Local/ Imported   |
| D66 | Triangle Pipe Pole of following heights for<br>mounting of Approach light fixtures<br>including providing foundation base plate<br>etc., frangibility requirements as per ICAO   | 32                    | Nr                        | Local/ Imported   |
| D67 | 100 mm dia pressurized uPVC pipe ducts (pipes, separators, bends, tees) concret encased in ground / under pavements as specified here-under, laying of counter poise and warning tape  | 2445                  | m                         | Local/ Imported   |
| D68 | concrete manholes as per drawing with steel covers along the ducts including provision of 50 / 100mm tee-off, complete in all respects:  | 27                    | Nr                        | Local/ Imported   |
| D69 | 50 mm dia 1 / 2 pressurizeduPVC pipes (pipes, separators, bends, tees) in ground / under pavements, laying of counter poise and warning tape including civil works for running of AGL cables.  | 7425                  | m                         | Local/ Imported   |
| D70 | steel box / can with cover etc. encased in concrete, along the duct including provision of 50 mm tee-off.  | 3                     | Nr                        | Local/ Imported   |
| D71 | Primary 6.6 KV grade 6 sq. mm copper airfield lighting cable conforming to IEC / BSS for Series Circuits in the existing uPVC duct complete with end termination.  | 39800                 | m                         | Local/ Imported   |

| S/N | ITEM DESCRIPTION   | QUAN<br>TITY<br>(QTY) | UNIT<br>OF<br>MEAS<br>URE | PLACE OF<br>PURCHASE OF<br>ITEMS (Local<br>or Imported) |
|-----|--|-----------------------|---------------------------|---|
| D72 | Secondary leads 2x4 sq. mm., 1.1 KV grade copper conductor cable including connectors for connectionbetween isolating transformer and light fixtures of AGL system.  | 425                   | m                         | Local/ Imported   |
| D73 | PVC insulated, PVC sheathed, Cu unarmoured 1.1 KV grade following control cable in the existing pipe / cable trays including end terminations:   | 920                   | m                         | Local/ Imported   |
| D74 | 1.1 KV grade, XLPE insulated, PVC sheathed, following Cu conductor cables in the cable duct / pipe / cable tray including end terminations.  | 3754                  | m                         | Local/ Imported   |
| D75 | Optical Fibre cables in the existing pipe / duct / cable trays including connections etc.  | 3170                  | m                         | Local/ Imported   |
| D76 | ACB LV-2 MV Panel (with out ATS Panel).  | 1                     | Nr                        | Local/ Imported   |
| D77 | LP-1 MV Panel.   | 1                     | Nr                        | Local/ Imported   |
| D78 | DG Set with 200 A ATS panel and LV-G1 MV panel.  | 1                     | Nr                        | Local/ Imported   |
| D79 | PLC controled ALCMS control and monitoring system complete with interface control panels in CCR control room and ATC Tower, UPS of required capacity along with batteries, interconnected power and control cables with termination, laying of fibre optics cable from CCR hall / other equipment. | 1                     | Nr                        | Local/ Imported   |
| D80 | Supply, installation, testing and commissioning of AFL COS panels as per drawing and as required.  | 1                     | Nr                        | Local/ Imported   |
| D81 | earthing with 18 mm Dia. 2400 mm long Cu earthing rod.   | 28                    | Nr                        | Local/ Imported   |
| D82 | earthing of equipment with 10 nos. 18 x 2400 mm bare copper rods complete with earthing wire in the CCR hall along with ground test point.   | 2                     | Nr                        | Local/ Imported   |
| D83 | Copper earth wire of following sizes complete with laying, connection/termination, fixing as per drawing on cable trays, surface, ground, pipe etc.  | 90                    | m                         | Local/ Imported   |
| D84 | GI Cable Tray of size 300 x100 mm. complete with steel support from ceiling / wall etc.  | 75                    | m                         | Local/ Imported   |
| D85 | high masts made complete with lowering type lantern carriage, light fixtures, obstruction lights, lightning protection, RCC foundation, guard bar, power and control wiring, cable connections, control panel with MCCB/MCB  | 3                     | Nr                        | Local/ Imported   |
| D86 | VHF Transmitters R.F. power 50 W, in the frequency band 118 to 136.975 MHz with  | 10                    | Nr                        | Local/ Imported   |

| S/N  | ITEM DESCRIPTION  | QUAN<br>TITY<br>(QTY) | UNIT<br>OF<br>MEAS<br>URE | PLACE OF<br>PURCHASE OF<br>ITEMS (Local<br>or Imported) |
|------|---|-----------------------|---------------------------|---|
|      | synthesizer, channel spacing 25 KHz, Digital multi mode optional.   |                       |                           | 1   |
| D87  | VHF Receiver: Frequency band 118 to 136.975 MHz with channel spacing 25 KHz. Digital Multi mode optional.   | 10                    | Nr                        | Local/ Imported   |
| D88  | Antenna system and R.F. cable Omni directional, stacked dipole / Whip antenna system for 10 Tx. / Rx, with or without multicouplers. The length of each R. F. cable shall be 50 meters for above Txs and Rxs                                | 1                     | Nr                        | Local/ Imported   |
| D89  | Remote control units and Head Sets: Remote control units for above Tx / Rx and light weight head sets   | 15                    | Nr                        | Local/ Imported   |
| D90  | Spares for two years for VHF 50 W set.(1 pc)  | 1                     | Nr                        | Local/ Imported   |
| D91  | Portable VHF multi channel Transceiver (Man pack) set: Frequency range 118 to 136.975 MHz (selectable), spacing 25kHz, R. F. power 50 W with battery unit and antenna with required length of R. F. cable.  Operation: J3E,R3E,H3E,F1B(FSK) | 1                     | Nr                        | Local/ Imported   |
| D92  | Spares for two years for VHF portable (Man pack) set.   | 1                     | Nr                        | Local/ Imported   |
| D93  | HF AM Transceiver 100w, freq range 2-20 MHz, emission J3E,R3E,H3E,F1B(FSK), Synthesizer control with HF Antenna 20m high and remote control unit, 2 years spare, antenna.   | 2                     | Nr                        | Local/ Imported   |
| D94  | UPS of 10 KVA in the Equipment Room for VHF/ HF Tx. and Rx.   | 1                     | Nr                        | Local/ Imported   |
| D95  | Installation, test and commissioning of VHF / HFTransmitter / Receiver Sets. (complete unit)  | 1                     | Nr                        | Local/ Imported   |
| D96  | Small Tower Voice Com System (STVC)/<br>VCCS  | 1                     | Nr                        | Local/ Imported   |
| D97  | UPS of 5 KVA rating in the Equipment Room   | 1                     | Nr                        | Local/ Imported   |
| D98  | Installation, test and commissioning of Voice<br>Communication Control System.  | 1                     | Nr                        | Local/ Imported   |
| D99  | Dual DVTR rack mounted with separate playback unit, 20 channels, Automatic data transfer on CDs after regular intervals, sufficient CDs for 2 years   | 1                     | Nr                        | Local/ Imported   |
| D100 | Spares for two years complete with On Job<br>Training: OJT for one batch of 4 persons for<br>3 days   | 1                     | Nr                        | Local/ Imported   |
| D101 | GPS based master clock with 8 slave units, synchronized timing at required working positions, VCCS & DVTR   | 1                     | Nr                        | Local/ Imported   |
| D103 | Provision of hand held Radio sets, 10 W<br>Power, preferably from Motorola. Freq. /   | 10                    | Nr                        | Local/ Imported   |

| S/N   TIEM DESCRIPTION   QUAN (QTY)   MEAS   URE   PURCHASE OF ITEMS (Local or Imported)   |      |   |       | UNIT           | PLACE OF        |
|--|------|---|-------|----------------|-----------------|
| Channel selectable, Two base stations with at least 4 freq. bands Control Desk: Metallic Control Desk with cut outs for speakers, VCCS panel, weather displays etc. as per requirement, complete with wiring & cables, two sets of strips board mountings, AGL panel etc. Navaids& FSS Console  D106 Installation, test and commissioning of Tower Equipment  D107 Signalling Lamp  Opticfibre cable of required length for indications for MOS at remote site. Approx. In the property of the cable of required interfaces & terminations, including commissioning of OPC.  D109 DVOR, DME, Localiser, and other accessories. Full furnished Temporary Control Tower using material that can be easily assembled and disassembled (Shipping Containers) to the required height.  D111 chemical emulsion  D112 water proofing membrane, black finished reinforced with non-woven polyester matt etc. water proofing membrane, black finished reinforced with non-woven polyester matt etc. water proofing membrane, black finished reinforced with non-woven polyester matt etc. water proofing membrane, black finished reinforced with water proofing reement slurry mixed with water proofing cement compound etc.  D113 Wall painting with acrylic emulsion paint 1095 Litres Local/ Imported water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound etc.  D114 water thinnable cement 55 Kgs Local/ Imported water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement compound etc.  D115 Wall painting with acrylic emulsion paint 1095 Litres Local/ Imported water proofing cement paint 1095 Litres Local/ Imported water proofing cement paint 1095 Litres Local/ Imported 11 fer resistant flush hollow metal type doors 12 m2 Local/ Imported 11 fer resistant flush hollow metal type doors 12 m2 Local/ Imported 12 fer resistant flush hollow metal type doors 12 Nr Local/ Imported 12 fer resistant flush hollow metal type doors 12 Nr Local/ Imported 12 fer resistant flush hollow metal type d | C/NI | ITEM DESCRIPTION                              | QUAN  |                |                 |
| Channel selectable, Two base stations with at least 4 freq, bands  Control Desk: Metallic Control Desk with cut outs for speakers, VCCS panel, weather displays etc. as per requirement, complete with wiring & cables, two sets of strips board mountings, AGL panel etc. Navaids& FSS Console  D106 Installation, test and commissioning of Tower Equipment  D107 Signalling Lamp  D108 Installation, test and commissioning of Tower Equipment  D109 Signalling Lamp  D109 Signalling Lamp  D100 Installation, test and commissioning of Tower Equipment  D100 Installation, test and commissioning of Tower Equipment  D100 Installation, test and commissioning of Tower Indications for MOS at remote site. Approx. In Installation, test and commissioning of OFC.  D100 DVOR, DME, Localiser, and other accessories.  In Influmished Temporary Control Tower Installation, tended and disassembled (Shipping Containers) to the required height.  D110 APP (Atactic Polypropylene Polymer) modified prefabricated five layer 3 mm thick water proofing membrane, black finished reinforced with non-woven polyester matt etc. water proofing rementare in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound etc water thinnable cement Slurry mixed with water proofing cement slurry mixed with acrylic emulsion paint 1095 Litres Local/ Imported D115 Wall painting with acrylic emulsion paint 1095 Litres Local/ Imported D116 water proofing cement paint 1095 Litres Local/ Imported D117 ceramic glazed floor tiles 300 x 300 mm 7 m2 Local/ Imported D118 Anti Skid Tile Flooring 21 m2 Local/ Imported D119 Ist quality ceramic glazed wall tiles 12 m2 Local/ Imported D120 32 mm thick Jet black mirror 3 m2 Local/ Imported D121 fire resistant flush hollow metal type doors 12 Nr Local/ Imported D121 fire resistant flush hollow metal type doors 12 Nr Local/ Imported D123 stainless steel ( Grade 304) railing 274 Kgs Local/ Imported D124 Gors, Windows, Ventilators, view panels etc 18 Nr Local/ Imported D125 Miniported Wall mounted | S/N  | TIEM DESCRIPTION                              |       | MEAS           | ITEMS (Local    |
| least 4 freq. bands  |      |   | (Q11) | URE            | or Imported)    |
| Control Desk: Metallic Control Desk with cut outs for speakers, VCCS panel, weather displays etc. as per requirement, complete with wiring & cables, two sets of strips board mountings, AGL panel etc. Navaids& FSS Console  D106 Installation, test and commissioning of Tower Equipment  D107 Signalling Lamp 2 Nr Local/ Imported  D108 length will be I km. Required interfaces & terminations, including commissioning of OFC.  D109 DVOR, DME, Localiser, and other accessories.  full furnished Temporary Control Tower using material that can be easily assembled and disassembled (Shipping Containers) to the required height.  D110 APP (Atactic Polypropylene Polymer) modified prefabricated five layer 3 mm thick water proofing membrane, black finished reinforced with non-woven polyester matt etc. water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement compound etc  D110 Wall painting with acrylic emulsion paint 1095 Litres Local/ Imported D116 water thinnable cement 55 Kgs Local/ Imported D117 ceramic glazed floor tiles 300 x 300 mm 7 m2 Local/ Imported D118 Anti Skid Tile Flooring 1019 Local/ Imported D119 Ist quality ceramic glazed wall tiles 112 m2 Local/ Imported D119 Ist quality ceramic glazed wall tiles 112 m2 Local/ Imported D110 St quality ceramic glazed wall tiles 112 m2 Local/ Imported D1110 St tiles and tiles of the resistant flush hollow metal type doors 112 Nr Local/ Imported D112 fire resistant flush hollow metal type doors 112 Nr Local/ Imported D112 Stainless steel ( Grade 304) railing 274 Kgs Local/ Imported 1120 Stainless steel ( Grade 304) railing 274 Kgs Local/ Imported 1125 Stainless steel ( Grade 304) railing 274 Kgs Local/ Imported 1126 Illuminated Wall mounted/Hanging signages 11 Lump Local/ Imported 1126 Illuminated Wall mounted/Hanging signages 11 Lump Local/ Imported 1126 Illuminated Wall mounted/Hanging signages 11 Lump Local/ Imported 1126 Illuminated Wall mounted/Hanging signages 11 Lump Local/ Imported 1126 Illuminated Wall mounted/Hanging signages 11 Lump Local/ Impo |      |   |       |                |                 |
| Dilos   displays etc. as per requirement, complete with wiring & cables, two sets of strips board mountings, AGL panel etc. Navaids& FSS Console   |      |   |       |                |                 |
| with wiring & cables, two sets of strips board mountings, AGL panel etc. Navaids& FSS Console  D106 Installation, test and commissioning of Tower Equipment  D107 Signalling Lamp  opticfibre cable of required length for indications for MOS at remote site. Approx. length will be 1 km. Required interfaces & terminations, including commissioning of OFC.  D108 DVOR, DME, Localiser, and other accessories.  full furnished Temporary Control Tower using materila that can be easily assembled and disassembled (Shipping Containers) to the required height.  D110 chemical emulsion  D111 chemical emulsion  APP (Atactic Polypropylene Polymer) modified prefabricated five layer 3 mm thick water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound etc  D114 water thinnable cement  D15 Wall painting with acrylic emulsion paint  D16 water proofing cement paint  D17 ceramic glazed floor tiles 300 x 300 mm  D18 Anti Skid Tile Flooring  D19 Ist quality ceramic glazed wall tiles  D10 32 mm thick Jet black mirror  D112 fire resistant flush hollow metal type doors  D124 Stainless steel (Grade 304) railing  S0x Local/ Imported  D125 Most Am Skid Tapered edge gypsum moisture resistant board  D126 Illuminated Wall mounted/Hanging signages  1 Local/ Imported  Local/ Imported  Local/ Imported   |      |   |       |                |                 |
| mountings, AGL panel etc. Navaids& FSS Console  D106 Installation, test and commissioning of Tower Equipment  D107 Signalling Lamp opticfibre cable of required length for indications for MOS at remote site. Approx. length will be 1 km. Required interfaces & terminations, including commissioning of OFC.  D109 DVOR, DME, Localiser, and other accessories.  full furnished Temporary Control Tower using material that can be easily assembled and disassembled (Shipping Containers) to the required height.  D110 APP (Atactic Polypropylene Polymer) modified prefabricated five layer 3 mm thick water proofing membrane, black finished reinforced with non-woven polyester matt etc.  water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound etc  D114 water thinnable cement  D15 Wall painting with acrylic emulsion paint  D16 water proofing cement paint  D17 ceramic glazed floor tiles 300 x 300 mm  T m2 Local/ Imported  D18 Anti Skid Tile Flooring  D19 Statinless steel ( Grade 304) railing  D12 In given the side of the side o | D105 |   | 2     | Nr             | Local/ Imported |
| Console  |      |   |       |                |                 |
| Different   Diff   |      |   |       |                |                 |
| Digital Equipment   Digi   | D106 | Installation, test and commissioning of Tower | 2     | N <sub>v</sub> | Local/Imported  |
| opticifibre cable of required length for indications for MOS at remote site. Approx. length will be 1 km. Required interfaces & terminations, including commissioning of OFC.  D109 DVOR, DME, Localiser, and other accessories.  full furnished Temporary Control Tower using materila that can be easily assembled and disassembled (Shipping Containers) to the required height.  D110 APP (Atactic Polypropylene Polymer)  modified prefabricated five layer 3 mm thick water proofing membrane, black finished reinforced with non-woven polyester matt etc.  water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound etc  D114 water thinnable cement 55 Kgs Local/ Imported  D115 Wall painting with aerylic emulsion paint 1095 Litres Local/ Imported  D116 water proofing cement paint 443 Kgs Local/ Imported  D117 ceramic glazed floor tiles 300 x 300 mm 7 m2 Local/ Imported  D118 Anti Skid Tile Flooring 21 m2 Local/ Imported  D119 Ist quality ceramic glazed wall tiles 12 m2 Local/ Imported  D120 32 mm thick Jet black mirror 3 m2 Local/ Imported  D121 fire resistant flush hollow metal type doors 12 Nr Local/ Imported  D122 doors, Windows, Ventilators, view panels etc 18 Nr Local/ Imported  D123 stainless steel ( Grade 304) railing 274 Kgs Local/ Imported  D124 80x1.25 mm M.S. laths with 1.25 mm thick top cover 112.5 mm thick tapered edge gypsum moisture resistant board  D126 Illuminated Wall mounted/Hanging signages 1 Lump Local/ Imported   | D100 |   | 2     | INI            | Local/ Imported |
| Indications for MOS at remote site. Approx. length will be 1 km. Required interfaces & terminations, including commissioning of OFC.   | D107 |   | 2     | Nr             | Local/ Imported |
| D108   length will be 1 km. Required interfaces & terminations, including commissioning of OFC.  |      |   |       |                |                 |
| terminations, including commissioning of OPC.  D109 DVOR, DME, Localiser, and other accessories.  full furnished Temporary Control Tower using materila that can be easily assembled and disassembled (Shipping Containers) to the required height.  D111 chemical emulsion  | D100 |   | 1     | NT.            | T 1/T 4 1       |
| DFC.   DVOR, DME, Localiser, and other accessories.   1 PS   Local/ Imported   | D108 |   | 1     | Nr             | Local/ Imported |
| DVOR, DME, Localiser, and other accessories.  full furnished Temporary Control Tower using materila that can be easily assembled and disassembled (Shipping Containers) to the required height.  D111 chemical emulsion  APP (Atactic Polypropylene Polymer) modified prefabricated five layer 3 mm thick water proofing membrane, black finished reinforced with non-woven polyester matt etc.  water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound etc  D114 water thinnable cement  D115 Wall painting with acrylic emulsion paint  D116 water proofing cement paint  D117 ceramic glazed floor tiles 300 x 300 mm  D118 Anti Skid Tile Flooring  D119 Ist quality ceramic glazed wall tiles  D120 32 mm thick Jet black mirror  D121 fire resistant flush hollow metal type doors  D122 doors, Windows, Ventilators, view panels etc  D123 stainless steel ( Grade 304) railing  D126 Illuminated Wall mounted/Hanging signages  D126 Illuminated Wall mounted/Hanging signages  D127 Local/ Imported  D128 Local/ Imported  D129 Illuminated Wall mounted/Hanging signages  D120 Illuminated Wall mounted/Hanging signages  D121 Lump Local/ Imported   |      |   |       |                |                 |
| full furnished Temporary Control Tower using materila that can be easily assembled and disassembled (Shipping Containers) to the required height.  D111 chemical emulsion  APP (Atactic Polypropylene Polymer) modified prefabricated five layer 3 mm thick water proofing membrane, black finished reinforced with non-woven polyester matt etc.  water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound etc  D114 water thinnable cement  D115 Wall painting with acrylic emulsion paint  D116 water proofing cement paint  D117 ceramic glazed floor tiles 300 x 300 mm  D118 Anti Skid Tile Flooring  D119 Ist quality ceramic glazed wall tiles  D120 32 mm thick Jet black mirror  D121 fire resistant flush hollow metal type doors  D122 doors, Windows, Ventilators, view panels etc  D124 80x1.25 mm M.S. laths with 1.25 mm thick top cover  D125 12.5 mm thick tapered edge gypsum moisture resistant board  D126 Illuminated Wall mounted/Hanging signages  1 Lump Local/Imported  D126 Illuminated Wall mounted/Hanging signages  1 Lump Local/Imported   | D100 |   | 1     | DC             | Local/Imported  |
| D110   using materila that can be easily assembled and disassembled (Shipping Containers) to the required height.   D111   chemical emulsion   D112   APP (Atactic Polypropylene Polymer)   modified prefabricated five layer 3 mm thick water proofing membrane, black finished reinforced with non-woven polyester matt etc.   water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound etc   D114   water thinnable cement   D115   Wall painting with acrylic emulsion paint   D105   Litres   Local/ Imported   D116   water proofing cement paint   D117   ceramic glazed floor tiles 300 x 300 mm   T m2   Local/ Imported   D118   Anti Skid Tile Flooring   D119   Ist quality ceramic glazed wall tiles   D120   32 mm thick Jet black mirror   Jet quality ceramic glazed wall tiles   D121   fire resistant flush hollow metal type doors   D122   doors, Windows, Ventilators, view panels etc   D124   80x1.25 mm M.S. laths with 1.25 mm thick top cover   D125   D125   D126   Illuminated Wall mounted/Hanging signages   D126   Illuminated Wall mounted/Hanging signag   | D109 |   | 1     | го             | Local/ Imported |
| and disassembled (Shipping Containers) to the required height.  D111 chemical emulsion  APP (Atactic Polypropylene Polymer) modified prefabricated five layer 3 mm thick water proofing membrane, black finished reinforced with non-woven polyester matt etc.  Water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound etc  D114 water thinnable cement  D115 Wall painting with acrylic emulsion paint  D16 water proofing cement paint  D17 ceramic glazed floor tiles 300 x 300 mm  D18 Anti Skid Tile Flooring  D19 Ist quality ceramic glazed wall tiles  D10 32 mm thick Jet black mirror  D120 32 mm thick Jet black mirror  D121 fire resistant flush hollow metal type doors  D122 doors, Windows, Ventilators, view panels etc  D124 80x1.25 mm M.S. laths with 1.25 mm thick top cover  D125 Illuminated Wall mounted/Hanging signages  D126 Illuminated Wall mounted/Hanging signages  1 Lump  Local/ Imported  Local/ Imported  Local/ Imported  Local/ Imported  Local/ Imported  |      |   |       |                |                 |
| the required height.  D111 chemical emulsion  APP (Atactic Polypropylene Polymer) modified prefabricated five layer 3 mm thick water proofing membrane, black finished reinforced with non-woven polyester matt etc.  water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound etc  D114 water thinnable cement  D115 Wall painting with acrylic emulsion paint  D116 water proofing cement paint  D117 ceramic glazed floor tiles 300 x 300 mm  D118 Anti Skid Tile Flooring  D119 Ist quality ceramic glazed wall tiles  D120 32 mm thick Jet black mirror  D121 fire resistant flush hollow metal type doors  D122 doors, Windows, Ventilators, view panels etc  D124 80x1.25 mm M.S. laths with 1.25 mm thick top cover  D125 Illuminated Wall mounted/Hanging signages  D126 Illuminated Wall mounted/Hanging signages  D127 Local/ Imported  D128 Local/ Imported  D129 Local/ Imported  D120 Local/ Imported  D121 m2 Local/ Imported  D122 Local/ Imported  D123 Local/ Imported  D124 Rocal/ Imported  D125 Illuminated Wall mounted/Hanging signages  D126 Illuminated Wall mounted/Hanging signages  | D110 |   | 1     | PS             | Local/ Imported |
| D111 chemical emulsion  APP (Atactic Polypropylene Polymer) modified prefabricated five layer 3 mm thick water proofing membrane, black finished reinforced with non-woven polyester matt etc.  Water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound etc  D114 water thinnable cement  D15 Wall painting with acrylic emulsion paint  D16 water proofing cement paint  D17 ceramic glazed floor tiles 300 x 300 mm  D18 Anti Skid Tile Flooring  D19 Ist quality ceramic glazed wall tiles  D10 32 mm thick Jet black mirror  D10 32 mm thick Jet black mirror  D112 doors, Windows, Ventilators, view panels etc  D120 doors, Windows, Ventilators, view panels etc  D121 fire resistant flush hollow metal type doors  D122 doors, Windows, Ventilators, view panels etc  D123 stainless steel ( Grade 304) railing  D124 80x1.25 mm M.S. laths with 1.25 mm thick top cover  D125 mm thick tapered edge gypsum moisture resistant board  D126 Illuminated Wall mounted/Hanging signages  1 Lump Local/ Imported Local/ Imported  |      |   |       |                |                 |
| APP (Atactic Polypropylene Polymer) modified prefabricated five layer 3 mm thick water proofing membrane, black finished reinforced with non-woven polyester matt etc.  water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound etc  D114 water thinnable cement D115 Wall painting with acrylic emulsion paint D116 water proofing cement paint D117 ceramic glazed floor tiles 300 x 300 mm D118 Anti Skid Tile Flooring D119 Ist quality ceramic glazed wall tiles D120 32 mm thick Jet black mirror D121 fire resistant flush hollow metal type doors D122 doors, Windows, Ventilators, view panels etc D123 stainless steel ( Grade 304) railing D124 80x1.25 mm M.S. laths with 1.25 mm thick top cover D125 12.5 mm thick tapered edge gypsum moisture resistant board D126 Illuminated Wall mounted/Hanging signages D126 Illuminated Wall mounted/Hanging signages D127 matter D128 Local/ Imported D129 Local/ Imported D120 Illuminated Wall mounted/Hanging signages D120 Illuminated Wall mounted/Hanging signages D121 Lump D122 Local/ Imported D123 Illuminated Wall mounted/Hanging signages D124 Illuminated Wall mounted/Hanging signages D126 Illuminated Wall mounted/Hanging signages D126 Illuminated Wall mounted/Hanging signages D127 Illuminated Wall mounted/Hanging signages  | D111 |   | 150   | Litres         | Local/ Imported |
| D112   modified prefabricated five layer 3 mm thick water proofing membrane, black finished reinforced with non-woven polyester matt etc.  |      | APP (Atactic Polypropylene Polymer)           |       |                | 1               |
| water proofing membrane, black finished reinforced with non-woven polyester matt etc.  water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound etc  D114 water thinnable cement 55 Kgs Local/ Imported  D115 Wall painting with acrylic emulsion paint 1095 Litres Local/ Imported  D116 water proofing cement paint 443 Kgs Local/ Imported  D117 ceramic glazed floor tiles 300 x 300 mm 7 m2 Local/ Imported  D118 Anti Skid Tile Flooring 21 m2 Local/ Imported  D119 Ist quality ceramic glazed wall tiles 12 m2 Local/ Imported  D120 32 mm thick Jet black mirror 3 m2 Local/ Imported  D121 fire resistant flush hollow metal type doors 12 Nr Local/ Imported  D122 doors, Windows, Ventilators, view panels etc 18 Nr Local/ Imported  D123 stainless steel ( Grade 304) railing 274 Kgs Local/ Imported  D124 80x1.25 mm M.S. laths with 1.25 mm thick top cover  D125 12.5 mm thick tapered edge gypsum moisture resistant board 1 Lump Local/ Imported  | D112 |   | 302   | m?             | Local/Imported  |
| water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound etc  D114 water thinnable cement  D15 Wall painting with acrylic emulsion paint  D16 water proofing cement paint  D17 ceramic glazed floor tiles 300 x 300 mm  D18 Anti Skid Tile Flooring  D19 Ist quality ceramic glazed wall tiles  D10 32 mm thick Jet black mirror  D10 32 mm thick Jet black mirror  D112 doors, Windows, Ventilators, view panels etc  D123 stainless steel (Grade 304) railing  D124 80x1.25 mm M.S. laths with 1.25 mm thick top cover  D125 12.5 mm thick tapered edge gypsum moisture resistant board  D126 Illuminated Wall mounted/Hanging signages  T m2 Local/ Imported   | D112 |   | 302   | 1112           | Local/ Imported |
| D113 WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound etc  D114 water thinnable cement  D15 Wall painting with acrylic emulsion paint  D16 water proofing cement paint  D17 ceramic glazed floor tiles 300 x 300 mm  D18 Anti Skid Tile Flooring  D19 Ist quality ceramic glazed wall tiles  D19 Ist quality ceramic glazed wall tiles  D10 32 mm thick Jet black mirror  D110 Ifire resistant flush hollow metal type doors  D111 fire resistant flush hollow metal type doors  D112 doors, Windows, Ventilators, view panels etc  D113 Stainless steel (Grade 304) railing  D114 S0x1.25 mm M.S. laths with 1.25 mm thick top cover  D125 In multiply to the proofing signages  D126 Illuminated Wall mounted/Hanging signages  D127 Local/ Imported  D128 Local/ Imported  D129 Local/ Imported  D120 Local/ Imported  D121 m2 Local/ Imported  D122 Local/ Imported   |      |   |       |                |                 |
| Sourry mixed with water proofing cement compound etc   D114   water thinnable cement   S5   Kgs   Local/ Imported   D115   Wall painting with acrylic emulsion paint   1095   Litres   Local/ Imported   D116   water proofing cement paint   443   Kgs   Local/ Imported   D117   ceramic glazed floor tiles 300 x 300 mm   7   m2   Local/ Imported   D118   Anti Skid Tile Flooring   21   m2   Local/ Imported   D119   Ist quality ceramic glazed wall tiles   12   m2   Local/ Imported   D120   32   mm thick Jet black mirror   3   m2   Local/ Imported   D121   fire resistant flush hollow metal type doors   12   Nr   Local/ Imported   D122   doors, Windows, Ventilators, view panels etc   18   Nr   Local/ Imported   D123   stainless steel (Grade 304) railing   274   Kgs   Local/ Imported   D124   80x1.25   mm M.S. laths with 1.25   mm thick   top cover   D125   m2   Local/ Imported   D125   m3   M3   Local/ Imported   D126   Illuminated   Wall mounted/Hanging signages   D126   Illuminated   Wall mounted/Hanging signages   D126   Illuminated   Wall mounted/Hanging signages   D126   Illuminated   Mall mounted/Hanging signages   D126   Illuminated   Wall mounted/Hanging signages   D126   Illuminated   Mall mounted/Hanging signages   D126   Illuminated   Mall mounted/Hanging signages   D126   Illuminated   Mall mounted/Hanging signages   D127   Local/ Imported   D128   D128   Illuminated   D129     |      |   |       |                |                 |
| D114   water thinnable cement   55   Kgs   Local/ Imported   | D113 |   | 7     | 7 m2           | Local/ Imported |
| D114 water thinnable cement  D115 Wall painting with acrylic emulsion paint  D116 water proofing cement paint  D117 ceramic glazed floor tiles 300 x 300 mm  T m2 Local/ Imported  D118 Anti Skid Tile Flooring  D119 Ist quality ceramic glazed wall tiles  D120 32 mm thick Jet black mirror  D121 fire resistant flush hollow metal type doors  D122 doors, Windows, Ventilators, view panels etc  D123 stainless steel ( Grade 304) railing  D124 80x1.25 mm M.S. laths with 1.25 mm thick top cover  D125 12.5 mm thick tapered edge gypsum moisture resistant board  D126 Illuminated Wall mounted/Hanging signages  1 Lump Local/ Imported  Local/ Imported  Local/ Imported  Local/ Imported   |      |   |       |                |                 |
| D116 water proofing cement paint  D117 ceramic glazed floor tiles 300 x 300 mm  7 m2 Local/ Imported  D118 Anti Skid Tile Flooring  D119 Ist quality ceramic glazed wall tiles  D120 32 mm thick Jet black mirror  D121 fire resistant flush hollow metal type doors  D122 doors, Windows, Ventilators, view panels etc  D123 stainless steel ( Grade 304) railing  D124 80x1.25 mm M.S. laths with 1.25 mm thick top cover  D125 12.5 mm thick tapered edge gypsum moisture resistant board  D126 Illuminated Wall mounted/Hanging signages  1 Lump Local/ Imported  Local/ Imported  Local/ Imported   | D114 | water thinnable cement                        | 55    | Kgs            | Local/ Imported |
| D117     ceramic glazed floor tiles 300 x 300 mm     7 m2     Local/ Imported       D118     Anti Skid Tile Flooring     21 m2     Local/ Imported       D119     Ist quality ceramic glazed wall tiles     12 m2     Local/ Imported       D120     32 mm thick Jet black mirror     3 m2     Local/ Imported       D121     fire resistant flush hollow metal type doors     12 Nr     Local/ Imported       D122     doors, Windows, Ventilators, view panels etc     18 Nr     Local/ Imported       D123     stainless steel ( Grade 304) railing     274 Kgs     Local/ Imported       D124     80x1.25 mm M.S. laths with 1.25 mm thick top cover     15 m2     Local/ Imported       D125     12.5 mm thick tapered edge gypsum moisture resistant board     21 m2     Local/ Imported       D126     Illuminated Wall mounted/Hanging signages     1 Lump     Local/ Imported   | D115 | Wall painting with acrylic emulsion paint     | 1095  | Litres         | Local/ Imported |
| D118     Anti Skid Tile Flooring     21     m2     Local/ Imported       D119     Ist quality ceramic glazed wall tiles     12     m2     Local/ Imported       D120     32 mm thick Jet black mirror     3     m2     Local/ Imported       D121     fire resistant flush hollow metal type doors     12     Nr     Local/ Imported       D122     doors, Windows, Ventilators, view panels etc     18     Nr     Local/ Imported       D123     stainless steel ( Grade 304) railing     274     Kgs     Local/ Imported       D124     80x1.25 mm M.S. laths with 1.25 mm thick top cover     15     m2     Local/ Imported       D125     12.5 mm thick tapered edge gypsum moisture resistant board     21     m2     Local/ Imported       D126     Illuminated Wall mounted/Hanging signages     1     Lump     Local/ Imported   | D116 | water proofing cement paint                   | 443   | Kgs            | Local/ Imported |
| D119   Ist quality ceramic glazed wall tiles   12 m2   Local/ Imported     D120   32 mm thick Jet black mirror   3 m2   Local/ Imported     D121   fire resistant flush hollow metal type doors   12 Nr   Local/ Imported     D122   doors, Windows, Ventilators, view panels etc   18 Nr   Local/ Imported     D123   stainless steel (Grade 304) railing   274 Kgs   Local/ Imported     D124   80x1.25 mm M.S. laths with 1.25 mm thick top cover   15 m2   Local/ Imported     D125   12.5 mm thick tapered edge gypsum moisture resistant board   21 m2   Local/ Imported     D126   Illuminated Wall mounted/Hanging signages   1 Lump   Local/ Imported     D126   Illuminated Wall mounted/Hanging signages   1 Lump   Local/ Imported     D127   Local/ Imported   Local/ Imported     D128   Illuminated Wall mounted/Hanging signages   1 Lump   Local/ Imported     D129   Local/ Imported     D120   Local/ Imported     D121   Lump   Local/ Imported     D122   Local/ Imported     D123   Lump   Local/ Imported     D124   Local/ Imported     D125   Local/ Imported     D126   Illuminated   Wall mounted/Hanging signages   1 Lump     D126   Local/ Imported     D127   Local/ Imported     D128   Local/ Imported     D129   Local/ Imported     D120   Local/ Imported     D121   Lump   Local/ Imported     D122   Local/ Imported     D123   Local/ Imported     D124   Local/ Imported     D125   Local/ Imported     D126   Local/ Imported     D127   Local/ Imported     D128   Local/ Imported     D129   Local/ Imported     D120   Local/ Imported     D120   Local/ Imported     D121   Local/ Imported     D122   Local/ Imported     D123   Local/ Imported     D124   Local/ Imported     D125   Local/ Imported     D126   Local/ Imported     D127   Local/ Imported     D128   Local/ Imported     D129   Local/ Imported     D120   | D117 | ceramic glazed floor tiles 300 x 300 mm       | 7     | m2             | Local/ Imported |
| D120 32 mm thick Jet black mirror 3 m2 Local/ Imported D121 fire resistant flush hollow metal type doors 12 Nr Local/ Imported D122 doors, Windows, Ventilators, view panels etc 18 Nr Local/ Imported D123 stainless steel (Grade 304) railing 274 Kgs Local/ Imported D124 80x1.25 mm M.S. laths with 1.25 mm thick top cover 15 m2 Local/ Imported D125 12.5 mm thick tapered edge gypsum 21 m2 Local/ Imported D126 Illuminated Wall mounted/Hanging signages 1 Lump Local/ Imported   | D118 | Anti Skid Tile Flooring                       | 21    | m2             | Local/ Imported |
| D121   fire resistant flush hollow metal type doors   12 Nr   Local/ Imported  | D119 | Ist quality ceramic glazed wall tiles         | 12    | m2             | Local/ Imported |
| D122 doors, Windows, Ventilators, view panels etc 18 Nr Local/ Imported D123 stainless steel (Grade 304) railing 274 Kgs Local/ Imported D124 80x1.25 mm M.S. laths with 1.25 mm thick top cover 15 m2 Local/ Imported D125 12.5 mm thick tapered edge gypsum 21 m2 Local/ Imported D126 Illuminated Wall mounted/Hanging signages 1 Lump Local/ Imported  | D120 | 32 mm thick Jet black mirror                  | 3     | m2             | Local/ Imported |
| D123 stainless steel ( Grade 304) railing 274 Kgs Local/ Imported  D124 80x1.25 mm M.S. laths with 1.25 mm thick top cover 15 m2 Local/ Imported  D125 12.5 mm thick tapered edge gypsum 21 m2 Local/ Imported  D126 Illuminated Wall mounted/Hanging signages 1 Lump Local/ Imported  | D121 | fire resistant flush hollow metal type doors  | 12    | Nr             | Local/ Imported |
| D124 80x1.25 mm M.S. laths with 1.25 mm thick top cover  D125 12.5 mm thick tapered edge gypsum moisture resistant board  D126 Illuminated Wall mounted/Hanging signages 1 Lump Local/Imported   | D122 | doors, Windows, Ventilators, view panels etc  | 18    | Nr             | Local/ Imported |
| D124 top cover 15 m2 Local/ Imported  D125 12.5 mm thick tapered edge gypsum 21 m2 Local/ Imported  D126 Illuminated Wall mounted/Hanging signages 1 Lump Local/ Imported  | D123 | , ,   | 274   | Kgs            | Local/ Imported |
| D125 12.5 mm thick tapered edge gypsum moisture resistant board 21 m2 Local/Imported  D126 Illuminated Wall mounted/Hanging signages 1 Lump Local/Imported   | D124 |   | 15    | m2             | Local/Imported  |
| moisture resistant board  D126 Illuminated Wall mounted/Hanging signages  1 Lump   Local/Imported  |      |   | 1.5   |                | mported         |
| D126 Illuminated Wall mounted/Hanging signages 1 Lump Local/Imported   | D125 |   | 21    | m2             | Local/ Imported |
| L DI /b   Hilliminated Wall molinted/Hanging signages  | Diar |   |       | Lump           | T 1/T           |
|  | D126 | Illuminated Wall mounted/Hanging signages     | 1     | •              | Local/ Imported |

|        |   | OLIANI       | UNIT | PLACE OF        |
|--------|---|--------------|------|-----------------|
| S/N    | ITEM DESCRIPTION  | QUAN<br>TITY | OF   | PURCHASE OF     |
| 5/11   | TIEM DESCRIPTION  | (QTY)        | MEAS | ITEMS (Local    |
|        |   | (Q11)        | URE  | or Imported)    |
| D127   | 3 layer PP-R (Poly propylene Random copolymer) pipesin Charge.                        | 13           | m    | Local/ Imported |
| D128   | 3 layer PP-R (Poly propylene Random copolymer) pipes                                  | 13           | m    | Local/ Imported |
| D129   | C.P. brass bib cock   | 3            | Nr   | Local/ Imported |
| D130   | brass stop cock   | 3            | Nr   | Local/ Imported |
| D131   | uPVC pipes  | 50           | m    | Local/ Imported |
|        | trap of self cleansing design with screwed  |              |      |                 |
| D132   | down or hinged grating with or without vent<br>arm complete                           | 3            | Nr   | Local/ Imported |
|        | 125 mm dia 3 mm thick stainless steel grating   |              |      |                 |
| D133   | with frame for uPVC floor traps or drain of   | 3            | Nr   | Local/ Imported |
|        | required pattern  |              |      |                 |
|        | 125 x 125 mm square stainless steel   |              |      |                 |
|        | cockroach trap consisting of 0.45 mm thick  | 1            | Nr   | Local/ Imported |
| D134   | inner and outer cups and 1.00 mm thick trap   |              |      |                 |
|        | grating with ring to be fixed inside uPVC P   |              |      |                 |
|        | traps with cement concrete. stone slab table rubbed, edges rounded and                |              |      |                 |
| D135   | polished of size 75 x 50 cm deep and 1.8 cm   | 2            | m2   | Local/ Imported |
| D133   | thick fixed in urinal partitions  |              | 1112 | Local/ Imported |
|        | wash basin with C.I. brackets, 15 mm C.P.   |              |      |                 |
| D.10.6 | brass pillar taps, 32 mm C.P. brass waste of  |              |      | - 1/-           |
| D136   | standard pattern, including painting of fittings                                      | 1            | Nr   | Local/ Imported |
|        | and brackets  |              |      |                 |
| D137   | PTMT Bottle Trap  | 1            | Nr   | Local/ Imported |
| D138   | mirror  | 1            | m2   | Local/ Imported |
| D139   | toilet paper holder   | 1            | Nr   | Local/ Imported |
| D140   | PTMT liquid soap container  | 1            | Nr   | Local/ Imported |
|        | white / off-white color European type water   |              |      | •               |
|        | closet with concealed 'P' or 'S' trap,  |              |      |                 |
|        | automatic flushing cistern & fittings Standard  |              |      |                 |
| D141   | size C.P. bolts, nuts, C.I. chair or other  | 1            | Nr   | Local/ Imported |
|        | hanging / fixing arrangements with  |              |      |                 |
|        | multiconnector to mains, solid plastic seat   |              |      |                 |
|        | with lid, C.P. brass hinges and rubber buffers:                                       |              |      |                 |
| D140   | C.P. brass ablution health faucet assembly  |              | 3.7  | T 1/T . 1       |
| D142   | with 1.2 m long braided PVC hose with   | 1            | Nr   | Local/ Imported |
|        | mounting brackete.  |              |      |                 |
|        | white color urinal with manually flushing cistern & fittings Standard size C.P. brass |              |      |                 |
| D143   | flush pipe, spreaders with unions &   |              |      |                 |
|        | clamps(all in C.P.brass) with waste fitting,  | 1            | Nr   | Local/ Imported |
|        | outlet grating and other couplings in C.P.  |              |      |                 |
|        | brass including painting and fitting etc.   |              |      |                 |
| D144   | 15 mm dia C.P. swan neck sink Mixer   | 1            | Nr   | Local/ Imported |
| D145   | junction trap   | 2            | Nr   | Local/ Imported |
| 2112   | Jane 11 11 11 11 11 11 11 11 11 11 11 11 11   |              | 111  | 200aii Imported |

| S/N  | ITEM DESCRIPTION  | QUAN<br>TITY<br>(QTY) | UNIT<br>OF<br>MEAS<br>URE | PLACE OF<br>PURCHASE OF<br>ITEMS (Local<br>or Imported) |
|------|---|-----------------------|---------------------------|---|
| D146 | hand dryer with approved quality and with all fittings complete.  | 1                     | Nr                        | Local/ Imported   |
| D147 | C.P. brass long body bib cock   | 1                     | Nr                        | Local/ Imported   |
| D148 | SS Coat Hanger  | 2                     | Nr                        | Local/ Imported   |
| D149 | Non Essential Switch Board / Panel in<br>Buildings complete with following items i.e.<br>Incomer, Metering, Bus Bars, Outgoing etc.   | 1                     | Nr                        | Local/ Imported   |
| D150 | Essential Switch Board / Panel in Buildings complete with following items i.e. Incomer, Metering, Bus Bars, Outgoing etc.   | 1                     | Nr                        | Local/ Imported   |
| D151 | 11 kV, SF-6 switch board panel complete with all accessories, interconnection, earthing etc. and DIPM with RS 485 Port and 2 DO, as per drawings and as specified comprising of VCBs of following ampere rating and CT ratio:   | 1                     | Nr                        | Local/ Imported   |
| D152 | 800 KVA, 11KV/415V Power Transformer c/w other standard accessories etc.  | 1                     | Nr                        | Local/ Imported   |
| D153 | Diesel Engine operated Electric Generating<br>Set of 400 KVA capacity complete with ATS<br>and / AMF Panel, MS class-C exhaust pipe<br>with accessories and insulation, Battery<br>Charger, concrete foundation etc. all<br>conforming to IEC / BS standard.                                    | 1                     | Nr                        | Local/ Imported   |
| D154 | 250KVAR (PFC switchboard / panel)<br>complete with following items i.e. Incomer,<br>Metering, Bus Bars, Outgoing etc  | 1                     | Nr                        | Local/ Imported   |
| D155 | 1.1 KV grade, Copper Conductor, XLPE<br>Insulated, FRLS (Fire Retardant Low<br>Smoke), armoured cables conforming to BS<br>6724, BS 7655 and Technical Specifications<br>of the following sizes complete with cable<br>end terminations with double compression<br>gland                        | 3080                  | m                         | Local/ Imported   |
| D156 | 11 KV grade, Copper Conductor, XLPE Insulated, armoured cables conforming to BS Standards and Technical Specifications of 3x70 sq. mm. sizes complete with out door cable end terminations with heat shrinkable jointing kit with all accessories, marking tape, cover bend, route markers etc. | 55                    | m                         | Local/ Imported   |
| D157 | GI (Galvanized Iron) cable trays made of GI sheets continuously connected including bends, reducers etc.  | 25                    | m                         | Local/ Imported   |
| D158 | GI steel work for suspension / supporting cable trays   | 10                    | Kgs                       | Local/ Imported   |
| D159 | DWC HDPE (Double Wall Corrugated Highdensity polyethylene) pipe   | 600                   | m                         | Local/ Imported   |
| D160 | conduiting& wiring for following Light Point  | 59                    | Nr                        | Local/ Imported   |

| S/N  | ITEM DESCRIPTION  | QUAN<br>TITY<br>(QTY) | UNIT<br>OF<br>MEAS<br>URE | PLACE OF<br>PURCHASE OF<br>ITEMS (Local<br>or Imported) |
|------|---|-----------------------|---------------------------|---|
|      | with 1.5 sq. mm single core, copper FRLS (Fire retardant low smoke) wires along with 1.5 sq. mm copper earth wire including supply & fixing suitable size MS electro galvanised with modular type cover plate, 13 A switch, connections, earthing etc.  |                       |                           |   |
| D161 | conduiting& wiring of following Power Point with 2.5 sq. mm single core, copper FRLS (Fire retardant low smoke) wires along with 2.5 sq. mm earth copper wire including supply & fixing suitable size MS electro galvanised with modular type cover plate, 13 A shrouded socket outlet (shuttered) with 13 A switch | 9                     | Nr                        | Local/ Imported   |
| D162 | conduiting& wiring for the power point from DB with 4 sq. mm single core, copper FRLS (Fire retardant low smoke) wires along with 4 sq. mm earth copper wire including, including supply & fixing of 20 A, 3 pin shuttered type socket outlet, indication lamp, MCB in GI Box with cover etc.                       | 3                     | Nr                        | Local/ Imported   |
| D163 | rectangular uPVC Cable trunking of<br>following sizes including pull boxes as<br>required at site complete with cover having<br>locking arrangement, earthing strips including<br>at joints etc.  | 45                    | m                         | Local/ Imported   |
| D164 | GI conduit in surface / recess with junction boxes, pull box, saddles   | 35                    | m                         | Local/ Imported   |
| D165 | 14 way SPN (Single Pole and Neutral) Light & Power DB's equipped  | 1                     | Nr                        | Local/ Imported   |
| D166 | LED light fixtures  | 53                    | Nr                        | Local/ Imported   |
| D167 | 230 mm sweep, 700 CFM and 1400 RPM exhaust fan  | 6                     | Nr                        | Local/ Imported   |
| D168 | Copper strip in pipes / surface / wall / trays etc. with spacers and saddles etc.   | 140                   | m                         | Local/ Imported   |
| D169 | unarmoured, stranded copper conductor,<br>FRLS, green coloured cable on wall / cable<br>tray.   | 25                    | m                         | Local/ Imported   |
| D170 | earthing station with copper plate earth electrode  | 12                    | m                         | Local/ Imported   |
| D171 | 50 mm dia DWC HDPE (Double Wall<br>Corrugated High-density polyethylene) pipe   | 140                   | m                         | Local/ Imported   |
| D172 | Tercel Model Tz20, Protection Radius 37 meters in Level 1 and upto 58 meters in Level III, Gain in Triggering Time 20µ Early Streamer Emission (ESE) Lightning Conductor with collect ambient energy through a lower series of electrodes. Timing of the streamer emission controlled with an                       | 1                     | Nr                        | Local/ Imported   |

| S/N  | ITEM DESCRIPTION   | QUAN<br>TITY<br>(QTY) | UNIT<br>OF<br>MEAS<br>URE | PLACE OF<br>PURCHASE OF<br>ITEMS (Local<br>or Imported) |
|------|--|-----------------------|---------------------------|---|
|      | electronic device that detects the lightning and triggers a streamer.  |                       |                           |   |
| D173 | 5 meter elevation Pole of 50mm dia complete with reducer at the top to fix the unit along with Base plate, guying kit, clamps and other hardware and fittings.   | 1                     | Nr                        | Local/ Imported   |
| D174 | 70 sq. mm copper flexible wire   | 50                    | m                         | Local/ Imported   |
| D175 | transient event counter as required.   | 1                     | Nr                        | Local/ Imported   |
| D176 | Maintenance free earth pit using 3 nos. of 5/8" dia. Copper-bonded (250 microns) Earthing Electrode of 3 mts. long and shall be interconnected with copper bonded flanges (03 Nos.),bi-metallic u- clamp (01 No.) for taking the earth connection, Earth enhancing compound 50 Kgs and inspection chamber including excavation and refilling etc | 2                     | Nr                        | Local/ Imported   |
| D177 | Test Clamp to connect the down conductor to<br>the earth termination and disconnect the down<br>conductor from the earth termination.  | 2                     | Nr                        | Local/ Imported   |
| D178 | Desk top Computer - 6th Generation Intel core i7 with graphic 530 (3.4 Ghzupto 4 Ghz,8 MB cache, 4 cores), 4 GB DDR3 RAM, 1TB HDD, 2 GB DDR3 Graphic Card, Super multi DVD Burner, 4 USB PORT with 21" LED Monitor, 101 Keyboard and Mouse.  | 1                     | Nr                        | Local/ Imported   |
| D179 | Management Software  | 1                     | Nr                        | Local/ Imported   |
| D180 | 1000 VA On line UPS with half an hour backup.  | 1                     | Nr                        | Local/ Imported   |
| D181 | ElNet Pro 25 for communicating with Digital Meters.  | 1                     | Nr                        | Local/ Imported   |
| D182 | Ethernet Gateway   | 5                     | Nr                        | Local/ Imported   |
| D183 | Lan Switch having 8 Port   | 1                     | Nr                        | Local/ Imported   |
| D184 | CAT6 Cable in cable tray / pipe duct / conduit etc.  | 650                   | m                         | Local/ Imported   |
| D185 | chemical emulsion  | 540                   | Litres                    | Local/ Imported   |
| D186 | APP (Atactic Polypropylene Polymer)<br>modified prefabricated five layer 3 mm thick<br>water proofing membrane, black finished<br>reinforced with non-woven polyester matt etc   | 106                   | m2                        | Local/ Imported   |
| D187 | cement slurry mixed with water proofing cement compound etc  | 34                    | m2                        | Local/ Imported   |
| D188 | water thinnable cement primer  | 153                   | Kgs                       | Local/ Imported   |
| D189 | Wall painting with acrylic emulsion paint  | 3058                  | Litres                    | Local/ Imported   |
| D190 | water proofing cement paint  | 516                   | Kgs                       | Local/ Imported   |
| D191 | ceramic glazed floor tiles   | 34                    | m2                        | Local/ Imported   |
| D192 | Vitrified tiles  | 282                   | m2                        | Local/ Imported   |
| D193 | Granite flooring with 25 mm thick stone, as  | 110                   | m2                        | Local/ Imported   |

|      |  | 1                     | I                         | I   |
|------|--|-----------------------|---------------------------|---|
| S/N  | ITEM DESCRIPTION   | QUAN<br>TITY<br>(QTY) | UNIT<br>OF<br>MEAS<br>URE | PLACE OF<br>PURCHASE OF<br>ITEMS (Local<br>or Imported) |
|      | per sample approved by Engineer-in-charge, over 12 mm (average) thick base of cement mortar 1:3 (1 cement : 3 coarse sand) laid and jointed with grey cement slurry, including rubbing and polishing complete with etc   |                       | OKE                       | or imported)  |
| D194 | Ist quality ceramic glazed wall tiles (thickness to be specified by the manufacturer) of approved make over 12 mm thick bed of cement Mortar 1:3 (1 cement : 3 coarse sand) etc  | 178                   | m2                        | Local/ Imported   |
| D195 | 10 mm thick acid and/or alkali resistant tiles of approved make and colour using acid and/or alkali resisting mortar bedding, and joints filled with acid and/or alkali resisting cement complete  | 51                    | m2                        | Local/ Imported   |
| D196 | 32 mm thick Jet black mirror polished bull nosed, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement: 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels etc | 8                     | m2                        | Local/ Imported   |
| D197 | flush hollow metal type doors  | 27                    | Nr                        | Local/ Imported   |
| D198 | fire resistant flush hollow metal type doors   | 12                    | Nr                        | Local/ Imported   |
| D199 | doors, Windows, Ventilators, view panels   | 100                   | Nr                        | Local/ Imported   |
| D200 | 12.50 mm thick Toughened frosted glass (Blue Tinted)for partitions assemble with SS hardwares,accessories,fittingsetc  | 83                    | m2                        | Local/ Imported   |
| D201 | Automatic Sliding Sensor glass door  | 1                     | Nr                        | Local/ Imported   |
| D202 | Gypsum panel partitions 100 mm thick with water proof Gypsum panels of size 666x500x100 mm, made of calcite phosphor Gypsum fixed with tongue and groove, jointed with bonding plaster as per manufacturer's specifications in superstructure above plinth level up to floor V level. Gypsum blocks will have a minimum compressive strength of 9.3 kg/cm2 etc   | 20                    | m2                        | Local/ Imported   |
| D203 | 13 mm thick Acrylic sheet Partitions as per specification and drawings for toilet partition including all fittings, and fixtures etc   | 34                    | m2                        | Local/ Imported   |
| D204 | stainless steel (Grade 304) railing made of Hollow tubes, channels, plates etc.  | 840                   | Kgs                       | Local/ Imported   |
| D205 | rolling shutters of approved make, made of   | 1                     | Item                      | Local/ Imported   |

| S/N  | ITEM DESCRIPTION  | TITY<br>(QTY) | MEAS  | ITEMS (Local    |
|------|---|---------------|-------|-----------------|
|      | required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength and M.S. top cover of |               | URE   | or Imported)    |
| D206 | required thickness for rolling shutters etc  Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete etc   | 23            | Tonne | Local/ Imported |
| D207 | Making Depressed portion 45x45 cm with average minimum thickness of 5 cm cement concrete 1:2:4 (1 cement : 2 sand : 4 graded stone aggregate of 20 mm nominal size) over P.V.C. Sheet 1mx1mx400micron, finished with 12mm cement plaster 1:3 (1 cement: 3 sand) and a coat of neat cement rounding the edge sand: making and finishing the outlet etc   | 10            | Nr    | Local/ Imported |
| D208 | 12.5 mm thick tapered edge gypsum moisture resistant board  | 22            | m2    | Local/ Imported |
| D209 | Armstrong Optra/Equivalent 20 mm thick False ceiling tiles with frame work, hangers & accessories etc   | 10            | m2    | Local/ Imported |
| D210 | Metal Sandwich roof system shall be comprise of described from top to bottom in several layers as Aluminum Profile Standing Seam 65 mm rib height and 400 mm width of STRAIGHT / CURVED profiled panel, manufactured from Aluminum Alloy  | 433           | m2    | Local/ Imported |
| D211 | panels of aluminium composite panel cladding  | 1             | Item  | Local/ Imported |
| D212 | plain multi-layer thermoclear easy clean type polycarbonate sheet 10 mm thick   | 1             | Item  | Local/ Imported |
| D213 | Brick Tile type cladding  | 1             | Item  | Local/ Imported |
| D214 | semi (grid) unitized system of structural glazing (with open joints) for linear   | 84            | m2    | Local/ Imported |
| D215 | galvanised iron profile sheets  | 1             | Item  | Local/ Imported |
| D216 | all Plumbing, Electrical and HVAC facilities  | 1             | PS    | Local/ Imported |
| D217 | Fire Tender   | 1             | PS    | Local/ Imported |
|      |   |               |       |                 |
| E    | Survey Equipment and accessaries  |               |       |                 |
| E1   | Total station   | 1             | Nr    | Local/ Imported |

|      |   | OLIAN        | UNIT | PLACE OF        |
|------|---|--------------|------|-----------------|
| S/N  | ITEM DESCRIPTION  | QUAN<br>TITY | OF   | PURCHASE OF     |
| 3/19 | TIEW DESCRIPTION  | (QTY)        | MEAS | ITEMS (Local    |
|      |   |              | URE  | or Imported)    |
| E2   | Complete set of GNSS RTK system                             | 1            | Nr   | Local/ Imported |
| E3   | Digital level, WILD NA2002 or 3003 or similar approved type | 2            | Nr   | Local/ Imported |
| E4   | Wooden tripod, heavy duty                                   | 1            | Nr   | Local/ Imported |
| E5   | Aluminium tripod  | 2            | Nr   | Local/ Imported |
| E6   | Sectioned fibreglass levelling staff                        | 4            | Nr   | Local/ Imported |
| E7   | Telescopic pole   | 5            | Nr   | Local/ Imported |
| E8   | Quick stand for telescopic pole                             | 2            | Nr   | Local/ Imported |
| E9   | Circular reflector prisms with holders                      | 5            | Nr   | Local/ Imported |
| E10  | Triple prism holder   | 1            | Nr   | Local/ Imported |
| E11  | Plug-in NiMH battery  | 3            | Nr   | Local/ Imported |
| E12  | PCMCIA-ATA flashcard, 16 MB                                 | 2            | Nr   | Local/ Imported |
| E13  | Rapid battery chargers                                      | 2            | Nr   | Local/ Imported |
| E14  | Steel tape, 50 m  | 2            | Nr   | Local/ Imported |
| E15  | Steel tape, 25 m  | 5            | Nr   | Local/ Imported |
| E16  | Fibre-glass tapes, 50 m                                     | 4            | Nr   | Local/ Imported |
| E17  | Ranging rods, 2.5 m long                                    | 12           | Nr   | Local/ Imported |
| E18  | Optical square  | 1            | Nr   | Local/ Imported |
| E19  | Steel hammers (4 kg)  | 2            | Nr   | Local/ Imported |
| E20  | Spirit levels for staves                                    | 6            | Nr   | Local/ Imported |
| E21  | Metal pocket tapes (5 m)                                    | 10           | Nr   | Local/ Imported |
| E22  | Surveying umbrella  | 2            | Nr   | Local/ Imported |
|      |   |              |      | _               |
| G    | Prefab-House, Funiture, Office Equipment                    |              |      |                 |
| G1   | Prefabricated Building                                      | 800          | m2   | Local/ Imported |
| G2   | Reams of a4 Photocopy Paper                                 | 500          | box  | Local/ Imported |
| G3   | Reams of a3 Photocopy Paper                                 | 100          | box  | Local/ Imported |
| G4   | 4 Plate Electric Cooker With Oven and Grill                 | 13           | Nr   | Local/ Imported |
| G5   | Water dispenser with hot cold functions                     | 5            | Nr   | Local/ Imported |
| G6   | UPS (Uninterruptible Power Supply)                          | 12           | Nr   | Local/ Imported |
| G7   | Internet Cable  | 2000         | m    | Local/ Imported |
| G8   | Exchange board  | 6            | Nr   | Local/ Imported |
| G9   | Router/modem  | 10           | Nr   | Local/ Imported |
| G10  | Security camera   | 40           | Nr   | Local/ Imported |
| G11  | Television  | 8            | Nr   | Local/ Imported |
| G12  | Microwave oven  | 6            | Nr   | Local/ Imported |
| G13  | Refrigerator/Freezer  | 12           | Nr   | Local/ Imported |
| G14  | Water Treatment Machine and Accessories<br>WT-3000          | 8            | Nr   | Local/ Imported |
| G15  | Air Conditioner   | 30           | Nr   | Local/ Imported |
| G16  | Washing Machine   | 10           | Nr   | Local/ Imported |
| G17  | Safe box  | 6            | Nr   | Local/ Imported |

|     |  |       | UNIT   | PLACE OF        |
|-----|--|-------|--------|-----------------|
|     |  | QUAN  | OF     | PURCHASE OF     |
| S/N | ITEM DESCRIPTION   | TITY  | MEAS   | ITEMS (Local    |
|     |  | (QTY) | URE    | or Imported)    |
| G18 | Electrical Water Heater  | 20    | Nr     | Local/ Imported |
| G19 | Solar Water Heater & Accessories   | 10    | Nr     | Local/ Imported |
| G20 | Electrical Fan   | 20    | Nr     | Local/ Imported |
| G21 | Exercise Utilities   | 1     | Nr     | Local/ Imported |
| G22 | Beds   | 20    | Nr     | Local/ Imported |
| G23 | Kitchen Utensils and Equipment   | 10    | Nr     | Local/ Imported |
| G24 | Ceiling Fans   | 40    | Nr     | Local/ Imported |
| G25 | Furniture ( Table)   | 140   | Nr     | Local/ Imported |
| G26 | Furniture ( Desk)  | 40    | Nr     | Local/ Imported |
| G27 | Furniture( Shelf)  | 30    | Nr     | Local/ Imported |
| G28 | Storage shelves  | 10    | Nr     | Local/ Imported |
| G29 | Furniture(Chairs)  | 120   | Nr     | Local/ Imported |
| G30 | Furniture( Sofa )  | 10    | Nr     | Local/ Imported |
| G31 | Steel filing cabinets  | 10    | Nr     | Local/ Imported |
| G32 | Steel general purpose lockable cabinets with                               | 8     | Nr     | Local/ Imported |
|     | shelves  | 2     |        | _               |
| G33 | Steel drawing cabinets Hand wash basin                                     |       | Nr     | Local/Imported  |
| G34 |  | 24    | Nr     | Local/Imported  |
| G35 | Washroom (WC) suites   | 24    | Nr     | Local/Imported  |
| G36 | Mirrors  | 24    | Nr     | Local/ Imported |
| G37 | Stainless shower tray and its shower closure(shower cubical) complete with | 24    | Nr     | Local/ Imported |
| 357 | shower mixer connecting accessories  | 2-4   | 111    | Local imported  |
| G38 | Towel rail   | 24    | Nr     | Local/ Imported |
| G39 | Soap dispenser   | 24    | Nr     | Local/ Imported |
| G40 | Toilet tissue holder   | 24    | Nr     | Local/ Imported |
| G41 | Curtains   | 100   | Nr     | Local/ Imported |
| G42 | Lamps  | 40    | Nr     | Local/ Imported |
| G43 | Bedsheets  | 250   | Nr     | Local/ Imported |
| G44 | Blankets   | 100   | Nr     | Local/ Imported |
| G45 | Pillow with Pillow cases   | 100   | Nr     | Local/ Imported |
| G46 | Filing trays   | 15    | Nr     | Local/Imported  |
| G47 | Facsimile transmitting machine   | 1     | Nr     | Local/ Imported |
| G48 | Labor Protection(Gun Boots)  | 700   | Nr     | Local/ Imported |
| G49 | Labor Protection(Uniforms)   | 4000  | Nr     | Local/ Imported |
| G50 | Reflective Road safety vest  | 4000  | Nr     | Local/ Imported |
| G51 | Digital flatbed scanner  | 1     | Nr     | Local/ Imported |
| G52 | Electronic calculators   | 15    | Nr     | Local/ Imported |
| G53 | Twin hot plates  | 1     | Nr     | Local/ Imported |
| G54 | Microwave Oven combi Sage or similar Turntable                             | 2     | Nr     | Local/ Imported |
| G55 | Paper Shredder   | 6     | Nr     | Local/ Imported |
| 555 |  |       | 1 * ** | _com imported   |

|     |  |       | UNIT | PLACE OF        |
|-----|--|-------|------|-----------------|
| CAI | ITEM DESCRIPTION   | QUAN  | OF   | PURCHASE OF     |
| S/N | ITEM DESCRIPTION   | TITY  | MEAS | ITEMS (Local    |
|     |  | (QTY) | URE  | or Imported)    |
| G56 | Anti-Virus Software  | 20    | Nr   | Local/ Imported |
| G57 | Cad Drawing Software   | 2     | Nr   | Local/ Imported |
| G58 | Micro-Software Office  | 5     | Nr   | Local/ Imported |
| G59 | Auto Civil 3d Software   | 2     | Nr   | Local/ Imported |
| G60 | Plotter  | 1     | Nr   | Local/ Imported |
| G61 | Paper shredder   | 3     | Nr   | Local/ Imported |
| G62 | Conference table, minimum 3.6 m x 1.5 m, with 12 chairs  | 1     | Nr   | Local/ Imported |
| G63 | Round meeting table, 0.9 m diameter, with 4 chairs   | 1     | Nr   | Local/ Imported |
| G64 | Desk, minimum 1.8 m x 0.9 m, with lockable double chest of drawers   | 1     | Nr   | Local/ Imported |
| G65 | Desk, minimum 1.5 m x 0.75 m, with lockable single chest of drawers  | 10    | Nr   | Local/ Imported |
| G66 | Tables with smooth flat top, minimum 1.8 m x 0.9 m   | 4     | Nr   | Local/ Imported |
| G67 | Table for printers and scanner, minimum 1.2 m x 0.6 m  | 3     | Nr   | Local/ Imported |
| G68 | Swivel type sturdy and comfortable desk chairs   | 14    | Nr   | Local/ Imported |
| G69 | Visitors chairs (standard office chair including meeting room chairs)  | 20    | Nr   | Local/ Imported |
| G70 | Table lamps  | 15    | Nr   | Local/ Imported |
| G71 | Waste paper baskets  | 15    | Nr   | Local/ Imported |
| G72 | White board with accessories   | 2     | Nr   | Local/ Imported |
| G73 | Wall boards 2.4 m x 1.2 m  | 8     | Nr   | Local/ Imported |
| G74 | Steel filing cabinets, 1300 mm high, 460 mm wide and 600 mm deep, each fitted with four lockable drawers on runners. | 6     | Nr   | Local/ Imported |
| G75 | Steel general purpose lockable cabinets with shelves with at least 1.5 sq.m. shelf area                              | 6     | Nr   | Local/ Imported |
| G76 | Steel drawing cabinets suitable for storing all contract drawings  | 2     | Nr   | Local/ Imported |
| G77 | Filing trays   | 12    | Nr   | Local/ Imported |
| G78 | Desktop Computers supplied with UPS  | 10    | Nr   | Local/ Imported |
| G79 | Laptop Computers   | 4     | Nr   | Local/ Imported |
| G80 | Laser printer for A4 / A3  | 3     | Nr   | Local/ Imported |
| G81 | Colour laser printer for A4 / A3   | 1     | Nr   | Local/ Imported |
| G82 | Photocopier  | 1     | Nr   | Local/ Imported |
| G83 | Facsimile transmitting machine   | 1     | Nr   | Local/ Imported |
| G84 | Plotter  | 1     | Nr   | Local/ Imported |
| G85 | Digital flatbed scanner, including USB cable.  | 1     | Nr   | Local/ Imported |
| G86 | Electronic calculators   | 12    | Nr   | Local/ Imported |
| G87 | Handheld GPS (Garmin eMap) or latest   | 3     | Nr   | Local/ Imported |
| G88 | Digital camera   | 2     | Nr   | Local/ Imported |

| S/N   TIEM DESCRIPTION   TITY   MEAS   OF   TIEMS (Local/ Imported or Imported)   G89   Powerpoint overhead projector   2   Nr   Local/ Imported   G91   Paper punches i(1 heavy duty and 11 standard   size punch machine)   12   Nr   Local/ Imported   G92   Paper staplers (2 heavy duty and 10 standard   size punch machine)   12   Nr   Local/ Imported   G93   Paper staplers (2 heavy duty)   2   Nr   Local/ Imported   G94   Rain gauges   3   Nr   Local/ Imported   G95   Thermometer (max/min)   2   Nr   Local/ Imported   G96   First aid and snake bit kit   2   Nr   Local/ Imported   G97   Fire extinguishers (dry type)   4   Nr   Local/ Imported   G97   Fire extinguishers (dry type)   4   Nr   Local/ Imported   G98   Local/ Imported   G98   Air conditioners, 12,000 BTU/hr   9   Nr   Local/ Imported   G99   Air conditioners, 12,000 BTU/hr   9   Nr   Local/ Imported   G99   Air conditioners, 12,000 BTU/hr   9   Nr   Local/ Imported   G99   Air conditioners, 12,000 BTU/hr   9   Nr   Local/ Imported   G100   Safe, min. size approx. 0.8 m x 0.5 m x 0.4 m,   10 be concreted in place (either wall or floor mounted) complete with lock and keys.   G101   Refrigerator (minimum 200 litres), one for   the Employer's personnel   2   Nr   Local/ Imported   G102   Twin hot plates   1   Nr   Local/ Imported   G103   Microwave Oven combi Sage or similar   Turntable   Electric kettle, Cuisnart CPK-17 or   equivalent, 1500W (1 for Employer)   2   Nr   Local/ Imported   G105   Cheating ≥ 90°C and cooling ≤10°C) and rated   Nr   Local/ Imported   G105   Set of plates, cups and glasses for 24 persons   1   Nr   Local/ Imported   G106   Thermos jugs, 4.5 litres capacity   3   Nr   Local/ Imported   G107   Set of plates, cups and glasses for 24 persons   1   Nr   Local/ Imported   G108   Kitchen Chair 4 No.   8   Nr   Local/ Imported   G110   Dining Chairs 6 No.   12   Nr   Local/ Imported   G111   Dining Chairs 6 No.   2   Nr   Local/ Imported   G112   Dining Chairs 6 No.   2   Nr   Local/ Imported   G113   Writing Desk (3 drawer) 1 No.     |      |   |       | UNIT | PLACE OF        |
|--|------|---|-------|------|-----------------|
| SN   TIEM DESCRIPTION   TITY   (QTY)   URE   TIEMS (Local or Imported)   |      |   | -     |      |                 |
| G89   Powerpoint overhead projector   2 Nr   Local/ Imported   G90   Binding machine   2 Nr   Local/ Imported   G91   Paper punches i(1 heavy duty and 11 standard size punch machine)   12 Nr   Local/ Imported   G92   Paper staplers (2 heavy duty and 10 standard size punch machine)   12 Nr   Local/ Imported   G93   Paper staplers (2 heavy duty and 10 standard size)   Nr   Local/ Imported   G94   Rain gauges   3 Nr   Local/ Imported   G95   Thermometer (max/min)   2 Nr   Local/ Imported   G96   First aid and snake bit kit   2 Nr   Local/ Imported   G97   Fire extinguishers (dry type)   4 Nr   Local/ Imported   G98   Ceiling fans or portable fans as agreed with the Engineer   9 Nr   Local/ Imported   Safe, min. size approx. 0.8 m x 0.5 m x 0.4 m, to be concreted in place (either wall or floor mounted) complete with lock and keys.   G101   Refrigerator (minimum 200 litres), one for the Employer's personnel   2 Nr   Local/ Imported   G102   Twin hot plates   1 Nr   Local/ Imported   G103   Microwave Oven combi Sage or similar Turntable   2 Nr   Local/ Imported   G104   Electric kettle, Cuisnart CPK-17 or equivalent, 1500W (1 for Employer)   2 Nr   Local/ Imported   Valter dispenser with hot cold functions (heating ≥ 90°C and cooling ≤10°C) and rated voltage frequency 220-224-50HZ   G106   Thermos jugs, 4.5 litres capacity   3 Nr   Local/ Imported   G107   Set of plates, cups and glasses for 24 persons   1 Nr   Local/ Imported   G108   Kitchen Chair 4 No.   8 Nr   Local/ Imported   G110   Dining Chairs 6 No.   12 Nr   Local/ Imported   G111   Dining Chairs 6 No.   12 Nr   Local/ Imported   G112   Dining Chairs with arms 2 No.   4 Nr   Local/ Imported   G113   Writing Desk (3 drawer) 1 No.   2 Nr   Local/ Imported   G114   Book shelf 1 No.   2 Nr   Local/ Imported   G115   Settee (3 cushions) 1 No.   2 Nr   Local/ Imported   G116   East Chairs 4 No.   8 Nr   Local/ Imported   G117   Coffee Tables 2 No.   4 Nr   Local/ Imported   G118   Sideboard 2 No.   4 Nr   Local/ Imported   G118   Sideboard 2 No.   4 Nr   Local/   | S/N  | ITEM DESCRIPTION  |       |      |                 |
| G89   Powerpoint overhead projector   2 Nr   Local/ Imported   G90   Binding machine   2 Nr   Local/ Imported   G91   Paper punches i(1 heavy duty and 11 standard   size punch machine)   12 Nr   Local/ Imported   G92   Paper staplers (2 heavy duty and 10 standard   size punch machine)   12 Nr   Local/ Imported   G93   Paper staplers (2 heavy duty and 10 standard   Size   Size)   12 Nr   Local/ Imported   G94   Rain gauges   3 Nr   Local/ Imported   G95   Thermometer (max/min)   2 Nr   Local/ Imported   G96   First aid and snake bit kit   2 Nr   Local/ Imported   G97   Fire extinguishers (dry type)   4 Nr   Local/ Imported   G98   Ceiling fans or portable fans as agreed with   the Engineer   G99   Air conditioners, 12,000 BTU/hr   9 Nr   Local/ Imported   Safe, min. size approx. 0.8 m x 0.5 m x 0.4 m, to be concreted in place (either wall or floor mounted) complete with lock and keys.   G101   Refrigerator (minimum 200 litres), one for the Employer's personnel   1 Nr   Local/ Imported   G102   Twin hot plates   1 Nr   Local/ Imported   G103   Twin hot plates   1 Nr   Local/ Imported   G104   Electric kettle, Cuisnart CPK-17 or   2 Nr   Local/ Imported   C104   Electric kettle, Cuisnart CPK-17 or   2 Nr   Local/ Imported   Set of plates, cups and glasses for 24 persons   1 Nr   Local/ Imported   Set of plates, cups and glasses for 24 persons   1 Nr   Local/ Imported   Set of plates, cups and glasses for 24 persons   1 Nr   Local/ Imported   G109   Kitchen Table (Formica Top)   2 Nr   Local/ Imported   G110   Dining Chairs 4 No.   2 Nr   Local/ Imported   G111   Dining Chairs with arms 2 No.   4 Nr   Local/ Imported   G114   Book shelf 1 No.   2 Nr   Local/ Imported   G115   Settee (3 cushions) 1 No.   2 Nr   Local/ Imported   G116   Settee (3 cushions) 1 No.   2 Nr   Local/ Imported   G116   Settee (3 cushions) 1 No.   4 Nr   Local/ Imported   G116   G116   Easy Chairs 4 No.   4 Nr   Local/ Imported   G117   Coffee Tables 2 No.   4 Nr   Local/ Imported   G118   Sideboard 2 No.   4 Nr   Local/ Imported   G118      |      |   | (QTY) |      |                 |
| G91       Paper punches i(1 heavy duty and 11 standard size punch machine)       12       Nr       Local/ Imported         G92       Paper staplers (2 heavy duty and 10 standard size)       12       Nr       Local/ Imported         G93       Paper shredder (heavy duty)       2       Nr       Local/ Imported         G94       Rain gauges       3       Nr       Local/ Imported         G95       Thermometer (max/min)       2       Nr       Local/ Imported         G96       First aid and snake bit kit       2       Nr       Local/ Imported         G97       Fire extinguishers (dry type)       4       Nr       Local/ Imported         G98       Ceiling fans or portable fans as agreed with the Engineer       9       Nr       Local/ Imported         G99       Air conditioners, 12,000 BTU/hr       9       Nr       Local/ Imported         Safe, min. size approx. 0.8 m x 0.5 m x 0.4 m, to be concreted in place (either wall or floor mounted) complete with lock and keys.       1       Nr       Local/ Imported         G100       Twin hot plates       1       Nr       Local/ Imported         G102       Twin hot plates       1       Nr       Local/ Imported         G103       Microwave Oven combi Sage or similar Turntable       2       Nr   | G89  | Powerpoint overhead projector   | 2     | Nr   |                 |
| Size punch machine   12 Nr   Local/ Imported   | G90  | Binding machine   | 2     | Nr   | Local/ Imported |
| G93 Paper shredder (heavy duty)  G94 Rain gauges  G95 Thermometer (max/min)  G96 First aid and snake bit kit  G97 Fire extinguishers (dry type)  G98 Ceiling fans or portable fans as agreed with the Engineer  G99 Air conditioners, 12,000 BTU/hr  G99 Air conditioners, 12,000 BTU/hr  G100 to be concreted in place (either wall or floor mounted) complete with lock and keys.  G101 Refrigerator (minimum 200 litres), one for the Employer's personnel  G102 Twin hot plates  G103 Microwave Oven combi Sage or similar  Turntable  G104 Electric kettle, Cuisnart CPK-17 or equivalent, 1500W (1 for Employer)  Water dispenser with hot cold functions  (heating ≥ 90°C and cooling ≤10°C) and rated voltage frequency 220-224-50HZ  G106 Thermos jugs, 4.5 litres capacity  G107 Set of plates, cups and glasses for 24 persons plus cutlery  G108 Kitchen Table (Formica Top)  G110 Dining Table 1 No.  G111 Dining Chairs with arms 2 No.  G112 Nr Local/ Imported  G113 Writing Desk (3 drawer) 1 No.  G114 Ported  G15 Settee (3 cushions) 1 No.  G175 Settee (3 cushions) 1 No.  G186 Nr Local/ Imported  G197 Coffee Tables 2 No.  G117 Coffee Tables 2 No.  G118 Sideboard 2 No.  G118 Sideboard 2 No.  | G91  |   | 12    | Nr   | Local/ Imported |
| G94       Rain gauges       3       Nr       Local/ Imported         G95       Thermometer (max/min)       2       Nr       Local/ Imported         G96       First aid and snake bit kit       2       Nr       Local/ Imported         G97       Fire extinguishers (dry type)       4       Nr       Local/ Imported         G98       Ceiling fans or portable fans as agreed with the Engineer       9       Nr       Local/ Imported         G99       Air conditioners, 12,000 BTU/hr       9       Nr       Local/ Imported         G100       Safe, min. size approx. 0.8 m x 0.5 m x 0.4 m, to be concreted in place (either wall or floor mounted) complete with lock and keys.       1       Nr       Local/ Imported         G101       Refrigerator (minimum 200 litres), one for the Employer's personnel       2       Nr       Local/ Imported         G102       Twin hot plates       1       Nr       Local/ Imported         G103       Microwave Oven combi Sage or similar Turntable       2       Nr       Local/ Imported         G104       Electric kettle, Cuisnart CPK-17 or equivalent, 1500W (1 for Employer)       2       Nr       Local/ Imported         G105       Horating ≥ 90°C and cooling ≤10°C) and rated voltage frequency 220-224~50HZ       3       Nr       Local/ Imported <tr< td=""><td>G92</td><td></td><td>12</td><td>Nr</td><td>Local/ Imported</td></tr<>   | G92  |   | 12    | Nr   | Local/ Imported |
| G95   Thermometer (max/min)   2   Nr   Local/ Imported   | G93  | Paper shredder (heavy duty)   | 2     | Nr   | Local/ Imported |
| G96       First aid and snake bit kit       2       Nr       Local/ Imported         G97       Fire extinguishers (dry type)       4       Nr       Local/ Imported         G98       Ceiling fans or portable fans as agreed with the Engineer       9       Nr       Local/ Imported         G99       Air conditioners, 12,000 BTU/hr       9       Nr       Local/ Imported         G100       Safe, min. size approx. 0.8 m x 0.5 m x 0.4 m, to be concreted in place (either wall or floor mounted) complete with lock and keys.       1       Nr       Local/ Imported         G101       Refrigerator (minimum 200 litres), one for the Employer's personnel       2       Nr       Local/ Imported         G102       Twin hot plates       1       Nr       Local/ Imported         G103       Microwave Oven combi Sage or similar Turntable       2       Nr       Local/ Imported         G104       Electric kettle, Cuisnart CPK-17 or equivalent, 1500W (1 for Employer)       2       Nr       Local/ Imported         Water dispenser with hot cold functions (heating ≥ 90°C and cooling ≤10°C) and rated voltage frequency 220-224~50HZ       3       Nr       Local/ Imported         G105       Thermos jugs, 4.5 litres capacity       3       Nr       Local/ Imported         G107       Set of plates, cups and glasses for 24 persons plus cutlery  | G94  | Rain gauges   | 3     | Nr   | Local/ Imported |
| G97       Fire extinguishers (dry type)       4       Nr       Local/ Imported         G98       Ceiling fans or portable fans as agreed with the Engineer       9       Nr       Local/ Imported         G99       Air conditioners, 12,000 BTU/hr       9       Nr       Local/ Imported         G100       Safe, min. size approx. 0.8 m x 0.5 m x 0.4 m, to be concreted in place (either wall or floor mounted) complete with lock and keys.       1       Nr       Local/ Imported         G101       Refrigerator (minimum 200 litres), one for the Employer's personnel       1       Nr       Local/ Imported         G102       Twin hot plates       1       Nr       Local/ Imported         G103       Microwave Oven combi Sage or similar Turntable       2       Nr       Local/ Imported         G104       Electric kettle, Cuisnart CPK-17 or equivalent, 1500W (1 for Employer)       2       Nr       Local/ Imported         Water dispenser with hot cold functions (heating ≥ 90°C and cooling ≤10°C) and rated voltage frequency 220-224~50HZ       3       Nr       Local/ Imported         G105       Thermos jugs, 4.5 litres capacity       3       Nr       Local/ Imported         G107       Set of plates, cups and glasses for 24 persons plus cutlery       1       Nr       Local/ Imported         G108       Kitchen Chair 4 No. <t< td=""><td>G95</td><td>Thermometer (max/min)</td><td>2</td><td>Nr</td><td>Local/ Imported</td></t<>  | G95  | Thermometer (max/min)   | 2     | Nr   | Local/ Imported |
| G98       Ceiling fans or portable fans as agreed with the Engineer       9       Nr       Local/ Imported         G99       Air conditioners, 12,000 BTU/hr       9       Nr       Local/ Imported         G100       Safe, min. size approx. 0.8 m x 0.5 m x 0.4 m, to be concreted in place (either wall or floor mounted) complete with lock and keys.       1       Nr       Local/ Imported         G101       Refrigerator (minimum 200 litres), one for the Employer's personnel       2       Nr       Local/ Imported         G102       Twin hot plates       1       Nr       Local/ Imported         G103       Microwave Oven combi Sage or similar Turntable       2       Nr       Local/ Imported         G104       Electric kettle, Cuisnart CPK-17 or equivalent, 1500W (1 for Employer)       2       Nr       Local/ Imported         Water dispenser with hot cold functions (heating ≥ 90°C and cooling ≤10°C) and rated voltage frequency 220-224-50HZ       3       Nr       Local/ Imported         G105       Thermos jugs, 4.5 litres capacity       3       Nr       Local/ Imported         G107       Set of plates, cups and glasses for 24 persons plus cutlery       1       Nr       Local/ Imported         G108       Kitchen Table (Formica Top)       2       Nr       Local/ Imported         G109       Kitchen Chair 4 No. <td< td=""><td>G96</td><td>First aid and snake bit kit</td><td>2</td><td>Nr</td><td>Local/ Imported</td></td<>   | G96  | First aid and snake bit kit   | 2     | Nr   | Local/ Imported |
| G98       Ceiling fans or portable fans as agreed with the Engineer       9       Nr       Local/ Imported         G99       Air conditioners, 12,000 BTU/hr       9       Nr       Local/ Imported         G100       Safe, min. size approx. 0.8 m x 0.5 m x 0.4 m, to be concreted in place (either wall or floor mounted) complete with lock and keys.       1       Nr       Local/ Imported         G101       Refrigerator (minimum 200 litres), one for the Employer's personnel       2       Nr       Local/ Imported         G102       Twin hot plates       1       Nr       Local/ Imported         G103       Microwave Oven combi Sage or similar Turntable       2       Nr       Local/ Imported         G104       Electric kettle, Cuisnart CPK-17 or equivalent, 1500W (1 for Employer)       2       Nr       Local/ Imported         Water dispenser with hot cold functions (heating ≥ 90°C and cooling ≤10°C) and rated voltage frequency 220-224-50HZ       3       Nr       Local/ Imported         G105       Thermos jugs, 4.5 litres capacity       3       Nr       Local/ Imported         G107       Set of plates, cups and glasses for 24 persons plus cutlery       1       Nr       Local/ Imported         G108       Kitchen Table (Formica Top)       2       Nr       Local/ Imported         G109       Kitchen Chair 4 No. <td< td=""><td>G97</td><td>Fire extinguishers (dry type)</td><td>4</td><td>Nr</td><td>Local/ Imported</td></td<>   | G97  | Fire extinguishers (dry type)   | 4     | Nr   | Local/ Imported |
| G99Air conditioners, 12,000 BTU/hr9NrLocal/ ImportedG100Safe, min. size approx. $0.8 \text{ m x } 0.5 \text{ m x } 0.4 \text{ m}$ , to be concreted in place (either wall or floor mounted) complete with lock and keys.1NrLocal/ ImportedG101Refrigerator (minimum 200 litres), one for the Employer's personnel2NrLocal/ ImportedG102Twin hot plates1NrLocal/ ImportedG103Microwave Oven combi Sage or similar Turntable2NrLocal/ ImportedG104Electric kettle, Cuisnart CPK-17 or equivalent, 1500W (1 for Employer)2NrLocal/ ImportedWater dispenser with hot cold functions (heating ≥ 90°C and cooling ≤10°C) and rated voltage frequency 220-224-50HZ3NrLocal/ ImportedG105Thermos jugs, 4.5 litres capacity3NrLocal/ ImportedG107Set of plates, cups and glasses for 24 persons plus cutlery1NrLocal/ ImportedG108Kitchen Table (Formica Top)2NrLocal/ ImportedG109Kitchen Chair 4 No.8NrLocal/ ImportedG110Dining Table 1 No.2NrLocal/ ImportedG111Dining Chairs 6 No.12NrLocal/ ImportedG112Dining Chairs with arms 2 No.4NrLocal/ ImportedG113Writing Desk (3 drawer) 1 No.2NrLocal/ ImportedG114Book shelf 1 No.2NrLocal/ ImportedG115Settee (3 cushions) 1 No.2NrLocal/ Imported </td <td>G98</td> <td>Ceiling fans or portable fans as agreed with</td> <td>9</td> <td>Nr</td> <td></td>  | G98  | Ceiling fans or portable fans as agreed with  | 9     | Nr   |                 |
| G100       Safe, min. size approx. 0.8 m x 0.5 m x 0.4 m, to be concreted in place (either wall or floor mounted) complete with lock and keys.       1       Nr       Local/ Imported         G101       Refrigerator (minimum 200 litres), one for the Employer's personnel       2       Nr       Local/ Imported         G102       Twin hot plates       1       Nr       Local/ Imported         G103       Microwave Oven combi Sage or similar Turntable       2       Nr       Local/ Imported         G104       Electric kettle, Cuisnart CPK-17 or equivalent, 1500W (1 for Employer)       2       Nr       Local/ Imported         G105       (heating ≥ 90°C and cooling ≤10°C) and rated voltage frequency 220-224-50HZ       3       Nr       Local/ Imported         G106       Thermos jugs, 4.5 litres capacity       3       Nr       Local/ Imported         G107       Set of plates, cups and glasses for 24 persons plus cutlery       1       Nr       Local/ Imported         G108       Kitchen Table (Formica Top)       2       Nr       Local/ Imported         G109       Kitchen Chair 4 No.       8       Nr       Local/ Imported         G110       Dining Table 1 No.       2       Nr       Local/ Imported         G111       Dining Chairs 6 No.       12       Nr       Local/ Imported  | G99  |   | 9     | Nr   | Local/ Imported |
| G101       Refrigerator (minimum 200 litres), one for the Employer's personnel       2       Nr       Local/ Imported         G102       Twin hot plates       1       Nr       Local/ Imported         G103       Microwave Oven combi Sage or similar Turntable       2       Nr       Local/ Imported         G104       Electric kettle, Cuisnart CPK-17 or equivalent, 1500W (1 for Employer)       2       Nr       Local/ Imported         Water dispenser with hot cold functions (heating ≥ 90°C and cooling ≤10°C) and rated voltage frequency 220-224~50HZ       3       Nr       Local/ Imported         G105       Thermos jugs, 4.5 litres capacity       3       Nr       Local/ Imported         G107       Set of plates, cups and glasses for 24 persons plus cutlery       1       Nr       Local/ Imported         G108       Kitchen Table (Formica Top)       2       Nr       Local/ Imported         G109       Kitchen Chair 4 No.       8       Nr       Local/ Imported         G110       Dining Table 1 No.       2       Nr       Local/ Imported         G111       Dining Chairs 6 No.       12       Nr       Local/ Imported         G112       Dining Chairs with arms 2 No.       4       Nr       Local/ Imported         G113       Writing Desk (3 drawer) 1 No. <td< td=""><td>G100</td><td>Safe, min. size approx. 0.8 m x 0.5 m x 0.4 m, to be concreted in place (either wall or floor</td><td>1</td><td>Nr</td><td>•</td></td<>  | G100 | Safe, min. size approx. 0.8 m x 0.5 m x 0.4 m, to be concreted in place (either wall or floor | 1     | Nr   | •               |
| G103       Microwave Oven combi Sage or similar Turntable       2       Nr       Local/ Imported         G104       Electric kettle, Cuisnart CPK-17 or equivalent, 1500W (1 for Employer)       2       Nr       Local/ Imported         G105       Water dispenser with hot cold functions (heating ≥ 90°C and cooling ≤10°C) and rated voltage frequency 220-224~50HZ       3       Nr       Local/ Imported         G106       Thermos jugs, 4.5 litres capacity       3       Nr       Local/ Imported         G107       Set of plates, cups and glasses for 24 persons plus cutlery       1       Nr       Local/ Imported         G108       Kitchen Table (Formica Top)       2       Nr       Local/ Imported         G109       Kitchen Chair 4 No.       8       Nr       Local/ Imported         G110       Dining Table 1 No.       2       Nr       Local/ Imported         G112       Dining Chairs 6 No.       12       Nr       Local/ Imported         G113       Writing Desk (3 drawer) 1 No.       2       Nr       Local/ Imported         G115       Settee (3 cushions) 1 No.       2       Nr       Local/ Imported         G116       Easy Chairs 4 No.       8       Nr       Local/ Imported         G117       Coffee Tables 2 No.       4       Nr  | G101 | Refrigerator (minimum 200 litres), one for  | 2     | Nr   | Local/ Imported |
| G103       Turntable       2       Nr       Local/ Imported         G104       Electric kettle, Cuisnart CPK-17 or equivalent, 1500W (1 for Employer)       2       Nr       Local/ Imported         G105       (heating ≥ 90°C and cooling ≤10°C) and rated voltage frequency 220-224~50HZ       3       Nr       Local/ Imported         G106       Thermos jugs, 4.5 litres capacity       3       Nr       Local/ Imported         G107       Set of plates, cups and glasses for 24 persons plus cutlery       1       Nr       Local/ Imported         G108       Kitchen Table (Formica Top)       2       Nr       Local/ Imported         G109       Kitchen Chair 4 No.       8       Nr       Local/ Imported         G110       Dining Table 1 No.       2       Nr       Local/ Imported         G111       Dining Chairs 6 No.       12       Nr       Local/ Imported         G112       Dining Chairs with arms 2 No.       4       Nr       Local/ Imported         G113       Writing Desk (3 drawer) 1 No.       2       Nr       Local/ Imported         G115       Settee (3 cushions) 1 No.       2       Nr       Local/ Imported         G116       Easy Chairs 4 No.       8       Nr       Local/ Imported         G117  | G102 |   | 1     | Nr   | Local/ Imported |
| G104equivalent, 1500W (1 for Employer)2NrLocal/ ImportedG105(heating ≥ 90°C and cooling ≤10°C) and rated voltage frequency 220-224~50HZ3NrLocal/ ImportedG106Thermos jugs, 4.5 litres capacity3NrLocal/ ImportedG107Set of plates, cups and glasses for 24 persons plus cutlery1NrLocal/ ImportedG108Kitchen Table (Formica Top)2NrLocal/ ImportedG109Kitchen Chair 4 No.8NrLocal/ ImportedG110Dining Table 1 No.2NrLocal/ ImportedG111Dining Chairs 6 No.12NrLocal/ ImportedG112Dining Chairs with arms 2 No.4NrLocal/ ImportedG113Writing Desk (3 drawer) 1 No.2NrLocal/ ImportedG114Book shelf 1 No.2NrLocal/ ImportedG115Settee (3 cushions) 1 No.2NrLocal/ ImportedG116Easy Chairs 4 No.8NrLocal/ ImportedG117Coffee Tables 2 No.4NrLocal/ ImportedG118Sideboard 2 No.4NrLocal/ Imported  | G103 |   | 2     | Nr   | Local/ Imported |
| G105(heating ≥ 90°C and cooling ≤10°C) and rated voltage frequency 220-224~50HZ3NrLocal/ ImportedG106Thermos jugs, 4.5 litres capacity3NrLocal/ ImportedG107Set of plates, cups and glasses for 24 persons plus cutlery1NrLocal/ ImportedG108Kitchen Table (Formica Top)2NrLocal/ ImportedG109Kitchen Chair 4 No.8NrLocal/ ImportedG110Dining Table 1 No.2NrLocal/ ImportedG111Dining Chairs 6 No.12NrLocal/ ImportedG112Dining Chairs with arms 2 No.4NrLocal/ ImportedG113Writing Desk (3 drawer) 1 No.2NrLocal/ ImportedG114Book shelf 1 No.2NrLocal/ ImportedG115Settee (3 cushions) 1 No.2NrLocal/ ImportedG116Easy Chairs 4 No.8NrLocal/ ImportedG117Coffee Tables 2 No.4NrLocal/ ImportedG118Sideboard 2 No.4NrLocal/ Imported  | G104 |   | 2     | Nr   | Local/ Imported |
| G107 Set of plates, cups and glasses for 24 persons plus cutlery  G108 Kitchen Table (Formica Top)  C109 Kitchen Chair 4 No.  C109 Kitchen Chair 4 No.  C100 Dining Table 1 No.  C100 Dining Table 1 No.  C100 Dining Chairs 6 No.  C110 Dining Chairs 6 No.  C110 Dining Chairs with arms 2 No.  C111 Dining Chairs with arms 2 No.  C112 Dining Chairs with arms 2 No.  C113 Writing Desk (3 drawer) 1 No.  C114 Book shelf 1 No.  C15 Nr Local/ Imported C16 Dining Chairs 4 No.  C16 Dining Chairs 4 No.  C17 Dining Chairs 4 No.  C18 Nr Local/ Imported C19 Dining Chairs 4 No.  C19 Nr Local/ Imported C10 Dining Chairs 4 No.  C100 Dining Chairs 4 No.  C | G105 | (heating $\geq 90^{\circ}$ C and cooling $\leq 10^{\circ}$ C) and rated                       | 3     | Nr   | Local/ Imported |
| G107   plus cutlery   1   Nr   Local/ Imported   G108   Kitchen Table (Formica Top)   2   Nr   Local/ Imported   G109   Kitchen Chair 4 No.   8   Nr   Local/ Imported   G110   Dining Table 1 No.   2   Nr   Local/ Imported   G111   Dining Chairs 6 No.   12   Nr   Local/ Imported   G112   Dining Chairs with arms 2 No.   4   Nr   Local/ Imported   G113   Writing Desk (3 drawer) 1 No.   2   Nr   Local/ Imported   G114   Book shelf 1 No.   2   Nr   Local/ Imported   G115   Settee (3 cushions) 1 No.   2   Nr   Local/ Imported   G116   Easy Chairs 4 No.   8   Nr   Local/ Imported   G117   Coffee Tables 2 No.   4   Nr   Local/ Imported   G118   Sideboard 2 No.   5   Nr   Local/ Imported   Sideboard 2 No.   5   Nr   Local/ Imported   G118   Sideboard 2 No.   5   Nr   Local/ Imported   G118   Sideboard 2 No.   5   Nr   Local/ Imported     | G106 | Thermos jugs, 4.5 litres capacity   | 3     | Nr   | Local/ Imported |
| G109         Kitchen Chair 4 No.         8         Nr         Local/ Imported           G110         Dining Table 1 No.         2         Nr         Local/ Imported           G111         Dining Chairs 6 No.         12         Nr         Local/ Imported           G112         Dining Chairs with arms 2 No.         4         Nr         Local/ Imported           G113         Writing Desk (3 drawer) 1 No.         2         Nr         Local/ Imported           G114         Book shelf 1 No.         2         Nr         Local/ Imported           G115         Settee (3 cushions) 1 No.         2         Nr         Local/ Imported           G116         Easy Chairs 4 No.         8         Nr         Local/ Imported           G117         Coffee Tables 2 No.         4         Nr         Local/ Imported           G118         Sideboard 2 No.         4         Nr         Local/ Imported   | G107 |   | 1     | Nr   | Local/ Imported |
| G110         Dining Table 1 No.         2         Nr         Local/ Imported           G111         Dining Chairs 6 No.         12         Nr         Local/ Imported           G112         Dining Chairs with arms 2 No.         4         Nr         Local/ Imported           G113         Writing Desk (3 drawer) 1 No.         2         Nr         Local/ Imported           G114         Book shelf 1 No.         2         Nr         Local/ Imported           G115         Settee (3 cushions) 1 No.         2         Nr         Local/ Imported           G116         Easy Chairs 4 No.         8         Nr         Local/ Imported           G117         Coffee Tables 2 No.         4         Nr         Local/ Imported           G118         Sideboard 2 No.         4         Nr         Local/ Imported   | G108 | Kitchen Table (Formica Top)   | 2     | Nr   | Local/ Imported |
| G111         Dining Chairs 6 No.         12         Nr         Local/ Imported           G112         Dining Chairs with arms 2 No.         4         Nr         Local/ Imported           G113         Writing Desk (3 drawer) 1 No.         2         Nr         Local/ Imported           G114         Book shelf 1 No.         2         Nr         Local/ Imported           G115         Settee (3 cushions) 1 No.         2         Nr         Local/ Imported           G116         Easy Chairs 4 No.         8         Nr         Local/ Imported           G117         Coffee Tables 2 No.         4         Nr         Local/ Imported           G118         Sideboard 2 No.         4         Nr         Local/ Imported  | G109 | Kitchen Chair 4 No.   | 8     | Nr   | Local/ Imported |
| G112         Dining Chairs with arms 2 No.         4         Nr         Local/ Imported           G113         Writing Desk (3 drawer) 1 No.         2         Nr         Local/ Imported           G114         Book shelf 1 No.         2         Nr         Local/ Imported           G115         Settee (3 cushions) 1 No.         2         Nr         Local/ Imported           G116         Easy Chairs 4 No.         8         Nr         Local/ Imported           G117         Coffee Tables 2 No.         4         Nr         Local/ Imported           G118         Sideboard 2 No.         4         Nr         Local/ Imported   | G110 | Dining Table 1 No.  | 2     | Nr   | Local/ Imported |
| G113         Writing Desk (3 drawer) 1 No.         2         Nr         Local/ Imported           G114         Book shelf 1 No.         2         Nr         Local/ Imported           G115         Settee (3 cushions) 1 No.         2         Nr         Local/ Imported           G116         Easy Chairs 4 No.         8         Nr         Local/ Imported           G117         Coffee Tables 2 No.         4         Nr         Local/ Imported           G118         Sideboard 2 No.         4         Nr         Local/ Imported   | G111 | Dining Chairs 6 No.   | 12    | Nr   | Local/ Imported |
| G113         Writing Desk (3 drawer) 1 No.         2         Nr         Local/ Imported           G114         Book shelf 1 No.         2         Nr         Local/ Imported           G115         Settee (3 cushions) 1 No.         2         Nr         Local/ Imported           G116         Easy Chairs 4 No.         8         Nr         Local/ Imported           G117         Coffee Tables 2 No.         4         Nr         Local/ Imported           G118         Sideboard 2 No.         4         Nr         Local/ Imported   | G112 | Dining Chairs with arms 2 No.   | 4     | Nr   | •               |
| G114Book shelf 1 No.2NrLocal/ ImportedG115Settee (3 cushions) 1 No.2NrLocal/ ImportedG116Easy Chairs 4 No.8NrLocal/ ImportedG117Coffee Tables 2 No.4NrLocal/ ImportedG118Sideboard 2 No.4NrLocal/ Imported   | G113 |   | 2     | Nr   | -               |
| G115Settee (3 cushions) 1 No.2NrLocal/ ImportedG116Easy Chairs 4 No.8NrLocal/ ImportedG117Coffee Tables 2 No.4NrLocal/ ImportedG118Sideboard 2 No.4NrLocal/ Imported   |      |   |       |      | -               |
| G116Easy Chairs 4 No.8NrLocal/ ImportedG117Coffee Tables 2 No.4NrLocal/ ImportedG118Sideboard 2 No.4NrLocal/ Imported  |      |   | 2     |      | •               |
| G117 Coffee Tables 2 No. 4 Nr Local/ Imported G118 Sideboard 2 No. 4 Nr Local/ Imported  |      |   |       |      |                 |
| G118 Sideboard 2 No. 4 Nr Local/ Imported  | G117 |   | 4     | Nr   | _               |
|  |      |   | 4     |      | Local/ Imported |
| O117   Deas, acable with filler-spring matters 2 No.   +   Ni   Local/ Imported  | G119 | Beds, double with inner-spring mattress 2 No.   | 4     | Nr   | Local/ Imported |
| G120 Beds, single with inner-spring mattress 3 No. 6 Nr Local/ Imported  |      |   | 6     |      | _               |
| G121 Pillows 10 No. 20 Nr Local/ Imported  |      |   |       |      | _               |

| S/N  | ITEM DESCRIPTION   | QUAN<br>TITY | UNIT<br>OF | PLACE OF<br>PURCHASE OF      |
|------|--|--------------|------------|------------------------------|
| 3/19 | TIEM DESCRIPTION   | (QTY)        | MEAS       | ITEMS (Local                 |
| G122 | Side Tables 5 No.  | 10           | URE<br>Nr  | or Imported) Local/ Imported |
| G123 | Dressing Tables with mirrors 2 No.                                   | 4            | Nr         | Local/ Imported              |
| G124 | Dressing Table Stools 2 No.  | 4            | Nr         | Local/ Imported              |
| G125 | Chest of Drawers 3 No.   | 6            | Nr         | Local/ Imported              |
| G126 | Bedside Chairs 5 No.   | 10           | Nr         | Local/ Imported              |
| G127 | Bathroom Cabinet with Mirror 1 No.                                   | 2            | Nr         | Local/ Imported              |
| G128 | Bathroom Stool 1 No.   | 2            | Nr         | Local/ Imported              |
| G129 | Floor Rugs 5 No.   | 10           | Nr         | Local/ Imported              |
| G130 | Air Conditioner 12,000 BTU/hr 4 No.                                  | 8            | Nr         | Local/ Imported              |
| G131 | Refrigerator min. 0.40 m2 (Electric frost free) 1 No.                | 2            | Nr         | Local/ Imported              |
| G132 | Electric or gas cooker with 4 burners, separate grill and oven 1 No. | 2            | Nr         | Local/ Imported              |
| G133 | Fume Hood 1 No.  | 2            | Nr         | Local/ Imported              |
| G134 | Water Filter 2 No.   | 4            | Nr         | Local/ Imported              |
| G135 | Dust Bin metal with lid (outdoor type) 1 No.                         | 2            | Nr         | Local/ Imported              |
| G136 | Door Mats 2 No.  | 4            | Nr         | Local/ Imported              |
| G137 | Vacuum Cleaner (electric) 1 No.                                      | 2            | Nr         | Local/ Imported              |
| G138 | Ceiling Fans 3 No.   | 6            | Nr         | Local/ Imported              |
| G139 | Set of 8 pieces crockery, cutlery, Glassware 1<br>Set                | 2            | Set.       | Local/ Imported              |
| G140 | Set of Kitchen utensils 1 Set  | 2            | Set.       | Local/ Imported              |
| G141 | Set of Pots, pans, etc. 1 Set  | 2            | Set.       | Local/ Imported              |
| G142 | Deep Freeze cabinet 0.40 m2 1 No.                                    | 2            | Nr         | Local/ Imported              |
| G143 | Fire Extinguisher 2 No.  | 4            | Nr         | Local/ Imported              |
| G144 | Standard lamps 2 No.   | 4            | Nr         | Local/ Imported              |
| G145 | Table Lamps 2 No.  | 4            | Nr         | Local/ Imported              |
| G146 | Toilet Tissue Holders 2 No.  | 4            | Nr         | Local/ Imported              |
| G147 | Waste Baskets 5 No.  | 10           | Nr         | Local/ Imported              |
| G148 | Vacuum Cleaner (electric) 1 No.                                      | 2            | Nr         | Local/ Imported              |
| G149 | Mixer (Electric Portable) 1 No.                                      | 2            | Nr         | Local/ Imported              |
| G150 | Bedside lights 5 No.   | 10           | Nr         | Local/ Imported              |
| G151 | Wall lights 6 No.  | 12           | Nr         | Local/ Imported              |
| G152 | Pelmets and runners all windows                                      | 2            | Set.       | Local/ Imported              |
| G153 | Curtains all windows   | 2            | Set.       | Local/ Imported              |
| G154 | Bedsheets 20 No.   | 40           | Nr         | Local/ Imported              |
| G155 | Pillow cases 10 No.  | 20           | Nr         | Local/ Imported              |
| G156 | Blankets 10 No.  | 20           | Nr         | Local/ Imported              |
| G157 | Towel rails 2 No.  | 4            | Nr         | Local/ Imported              |
| G158 | Kitchen Table (Formica Top) 1 No.                                    | 1            | Nr         | Local/ Imported              |
| G159 | Kitchen Chair 4 No.  | 4            | Nr         | Local/ Imported              |
| G160 | Dining Table 1 No.   | 1            | Nr         | Local/ Imported              |

|      |  |       | UNIT | PLACE OF        |
|------|--|-------|------|-----------------|
|      |  | QUAN  | OF   | PURCHASE OF     |
| S/N  | ITEM DESCRIPTION   | TITY  | MEAS | ITEMS (Local    |
|      |  | (QTY) | URE  | or Imported)    |
| G161 | Dining Chairs 8 No.  | 8     | Nr   | Local/ Imported |
| G162 | Sideboard 2 No.  | 2     | Nr   | Local/ Imported |
| G163 | Beds, single with mattresses 8 No.   | 8     | Nr   | Local/ Imported |
| G164 | Pillows 8 No.  | 8     | Nr   | Local/ Imported |
| G165 | Side Table 8 No.   | 8     | Nr   | Local/ Imported |
| G166 | Bedside Chair 16 No.   | 16    | Nr   | Local/ Imported |
| G167 | Bathroom Cabinet with Mirror 2 No.   | 2     | Nr   | Local/ Imported |
| G168 | Bathroom stool 2 No.   | 2     | Nr   | Local/ Imported |
| G169 | Electric Fan 8 No.   | 8     | Nr   | Local/ Imported |
| G170 | Refrigerator min. 0.40 m2 (Electric or equivalent) 1 No.   | 1     | Nr   | Local/ Imported |
| G171 | Fire Extinguisher 4 No.  | 4     | Nr   | Local/ Imported |
| G172 | Vacuum Cleaner 1 No.   | 1     | Nr   | Local/ Imported |
| G173 | Electric Cooker with 4 burners, separate large grill and oven 1 No.  | 1     | Nr   | Local/ Imported |
| G174 | Water Filter 1 No.   | 1     | Nr   | Local/ Imported |
| G175 | Dust Bin Metal with Lid (outdoor type) 1 No.   | 1     | Nr   | Local/ Imported |
| G176 | Door Mats 2 No.  | 2     | Nr   | Local/ Imported |
| G177 | Ceiling Fans 2 No.   | 2     | Nr   | Local/ Imported |
| G178 | Set of 10 pieces crockery, cutlery, glassware 1 Set  | 1     | Set. | Local/ Imported |
| G179 | Set of Kitchen utensils 1 Set  | 1     | Set. | Local/ Imported |
| G180 | Set of Pots, pans, etc. 1 Set  | 1     | Set. | Local/ Imported |
| G181 | Mixer (Electric Portable) 1 No.  | 1     | Nr   | Local/ Imported |
| G182 | Wall lights 3 No.  | 3     | Nr   | Local/ Imported |
| G183 | Pelmets and runners all windows  | 1     | Set. | Local/ Imported |
| G184 | Curtains all windows   | 1     | Set. | Local/ Imported |
| G185 | Bedsheets 32 No.   | 32    | Nr   | Local/ Imported |
| G186 | Pillow cases 16 No.  | 16    | Nr   | Local/ Imported |
| G187 | Blankets 16 No.  | 16    | Nr   | Local/ Imported |
| G188 | Towel rails 3 No.  | 3     | Nr   | Local/ Imported |
| G189 | Toilet Tissue Holder 1 No.   | 1     | Nr   | Local/ Imported |
| G190 | Consumables for printers (Cartridges and ink)  | 400   | set. | Local/ Imported |
| G191 | Office equipment(pen pencil eraser ruler<br>book sewer bookbinding machine folder file<br>and sealing machine etc) | 6,000 | Nr   | Local/ Imported |
|      |  |       |      |                 |
| J    | Laboratory for The Engineer  |       |      |                 |
| J1   | Desks, Minimum 1.8 m x 0.9 m, with<br>Lockable Single Chest of Drawers   | 2     | Nr   | Local/ Imported |
| J2   | Table with Smooth Flat Top, Minimum 1.8 m x 0.9 m  | 2     | Nr   | Local/ Imported |
| J3   | Table Lamps  | 4     | Nr   | Local/ Imported |

| S/N | ITEM DESCRIPTION  | QUAN<br>TITY<br>(QTY) | UNIT<br>OF<br>MEAS | PLACE OF<br>PURCHASE OF<br>ITEMS (Local |
|-----|---|-----------------------|--------------------|---|
| J4  | Swivel Type Desk Chairs   | 4                     | URE<br>Nr          | or Imported) Local/ Imported            |
| J5  | Visitors Chairs   | 4                     | Nr                 | Local/ Imported                         |
| J6  | Waste Paper Baskets   | 2                     | Nr                 | Local/ Imported                         |
| J7  | Filing Trays  | 4                     | Nr                 | Local/ Imported                         |
| J8  | Wall Boards 2.4 x 1.2 m   | 2                     | Nr                 | Local/ Imported                         |
| J9  | Steel Cupboard with Shelves   | 2                     | Nr                 | Local/ Imported                         |
| J10 | Steel Filing Cabinet with 4 Lockable Drawers  | 2                     | Nr                 | Local/ Imported                         |
| J11 | Shelves, 2 m Long   | 4                     | Nr                 | Local/ Imported                         |
| J12 | Air Conditioner, 12,000 Btu/Hr  | 4                     | Nr                 | Local/ Imported                         |
| J13 | Portable Fan  | 2                     | Nr                 | Local/ Imported                         |
| J14 | Work Benches  | 6                     | Nr                 | Local/ Imported                         |
| J15 | Curing Tanks  | 2                     | Nr                 | Local/ Imported                         |
| J16 | Stools, 1 m High  | 8                     | Nr                 | Local/ Imported                         |
| J17 | Stools, 0.4 m High  | 8                     | Nr                 | Local/ Imported                         |
| 31/ | Stools, 0.4 III High  | 8                     | INI                | Local/ Imported                         |
|     | Compaction  |                       |                    |   |
| J18 | Compaction Mould, 1 Litre Capacity, Complete with Base Plate And Extension Collar 101.6 Mm Internal Diameter×116.43 Mm High | 4                     | Nr                 | Local/ Imported                         |
| J19 | Compaction Hammer, 2.49 Kg, Drop<br>Regulated To 304.8 Mm   | 4                     | Nr                 | Local/ Imported                         |
| J20 | Compaction Hammer, 4.536kg, Drop<br>Regulated To 457.2 Mm   | 4                     | Nr                 | Local/ Imported                         |
| J21 | Electric Vibrating "Kango" Hammer Fitted with Steel Tamper (BS 1377) with Support Frame                                     | 3                     | Nr                 | Local/ Imported                         |
| J22 | Straight Edge, 300 Mm Long, with Handles  | 18                    | Nr                 | Local/ Imported                         |
| J23 | Steel Tamper (BS 1377) Compatible with The Kango Hammer   | 6                     | Nr                 | Local/ Imported                         |
| J24 | Compaction Mould, 152.4mm Dia×<br>116.43mm High, Complete with Base Plate<br>And Extension Collar                           | 9                     | Nr                 | Local/ Imported                         |
| J25 | Galvanized Metal Tray,1.0m×0.5m×75mm<br>Deep  | 18                    | Nr                 | Local/ Imported                         |
| J26 | 75mm Brush  | 9                     | Nr                 | Local/ Imported                         |
| J27 | Semi Automatic Balance, 25 Kg Capacity,<br>Accurate To 1 g, Including Weights   | 9                     | Nr                 | Local/ Imported                         |
| J28 | 20 Mm BS Sieve, 300 Mm Diameter   | 3                     | Nr                 | Local/Imported                          |
| J29 | Set of French Curves  | 6                     | Nr                 | Local/ Imported                         |
| J30 | Stop Clock  | 9                     | Nr                 | Local/ Imported                         |
| J31 | Organic Content Complete  | 2                     | Nr                 | Local/Imported                          |
|     | Density(Sand Replacement Method BS 1377)  |                       |                    |   |

|      |   |       | UNIT | PLACE OF        |
|------|---|-------|------|-----------------|
| C/NI | ITEM DESCRIPTION  | QUAN  | OF   | PURCHASE OF     |
| S/N  | ITEM DESCRIPTION  | TITY  | MEAS | ITEMS (Local    |
|      |   | (QTY) | URE  | or Imported)    |
| J32  | Metal Containers, 450 Mm Diameter   | 24    | Nr   | Local/ Imported |
| J33  | Stainless Steel Tray,305 Mm Diameter  | 12    | Nr   | Local/ Imported |
| J34  | Metal Tray with 150 ,, Diameter Hole In The<br>Centre, 300 Mm× 300 Mm Square Or<br>Equivalent Area,40 Mm Deep   | 12    | Nr   | Local/ Imported |
| J35  | Metal Tray with 200 Mm Dameter Hole In<br>The Centre, 500 Mm× 500 Mm Square Or<br>Equivalent Area, 50 Mm Deep   | 12    | Nr   | Local/ Imported |
| J36  | Steel Pegs for Fixing Tray In Position  | 200   | Nr   | Local/ Imported |
| J37  | Sand Pouring Cylinder,150 Mm Diameter   | 12    | Nr   | Local/ Imported |
| J38  | Cold Steel Chisel, 20 Mm Dia.×300 Mm<br>Long  | 24    | Nr   | Local/ Imported |
| J39  | Cold Steel Chisel, 10 Mm Dia.×250 Long  | 24    | Nr   | Local/ Imported |
| J40  | 1.5kg Hammer  | 36    | Nr   | Local/ Imported |
| J41  | Scoop for Removing Excavated Material From Density Hole,250 Mm Long Handles.  | 36    | Nr   | Local/ Imported |
| J42  | 100 Mm Soft Brush   | 12    | Nr   | Local/ Imported |
| J43  | 50 Mm Soft Brush  | 24    | Nr   | Local/ Imported |
| J44  | Calibrating Can, 150 Mm Dia.×150 Mm<br>Deep   | 12    | Nr   | Local/ Imported |
| J45  | Calibrating Can, 200 Mm Dia.×250 Mm Deep  | 12    | Nr   | Local/ Imported |
| J46  | Plastic Container Jars Neck 125 Mm<br>Diameter And 4 Litre Capacity   | 3     | Nr   | Local/ Imported |
|      |   |       |      | Local/ Imported |
|      | Density Test (Nuclear Density<br>Method:Aashto t238)  |       |      |                 |
| J47  | Nuclear Moisture - Density Gauge( Troxler 3411b Or Similar Approved)  | 4     | Nr   | Local/ Imported |
| J48  | Hole Forming Device for The Troxler   | 12    | Nr   | Local/ Imported |
| J49  | Guide for The Hole Forming Device   | 12    | Nr   | Local/ Imported |
| J50  | Rapid Density Set Complete Incl. Speedy<br>Moisture Tester.   | 4     | Nr   | Local/ Imported |
|      | CBR ( BS 1377)  |       |      |                 |
| J51  | Automatic Cbr Compactor According To BS<br>Or Aashto, Falling Height Adjustable From<br>300 Mm To 457 Mm, Rammer Weight 2.5<br>Kg And 4.5 Kg, 50 Mm Diameter Automatic<br>Count Selectors | 3     | Nr   | Local/ Imported |
| J52  | Central Extractor, Complete with 20 Kn<br>Hydraulic Jack And Adaptor for Cbr<br>Projector for 100 Mm And 150 Mm   | 3     | Nr   | Local/ Imported |
| J53  | CbrMould, 127 Mm High ×152.4 Mm Dia.<br>Complete with Perforated Base Plate And<br>Extension Collar, 50.8 Mm High   | 200   | Nr   | Local/ Imported |
| J54  | Perforated Swell Plate, 150 Mm Dia, with An Adjustable Centre Post of Rust-Proof Metal  | 200   | Nr   | Local/ Imported |

| S/N | ITEM DESCRIPTION   | QUAN<br>TITY<br>(QTY) | UNIT<br>OF<br>MEAS<br>URE | PLACE OF<br>PURCHASE OF<br>ITEMS (Local<br>or Imported) |
|-----|--|-----------------------|---------------------------|---|
|     | Provided with Lock-Out   |                       |                           |   |
| J55 | 2kg Annular Surcharge Weight   | 200                   | Nr                        | Local/ Imported   |
| J56 | Solid Base Plate CbrMould  | 200                   | Nr                        | Local/ Imported   |
| J57 | Static Compaction Plug   | 12                    | Nr                        | Local/ Imported   |
| J58 | 50 Mm. 70 Mm, 100 Mm Distance Piece  | 6                     | Nr                        | Local/ Imported   |
| J59 | Disc Lifting Handle  | 6                     | Nr                        | Local/ Imported   |
| J60 | Static Compaction Press, 50 Mm Tonnes<br>Capacity, with An Adjustable Daylight<br>Between Plates From 530mm To 250 Mm,<br>Hydraulic Or Mechanical Operation, Hand-<br>Operated     | 3                     | Nr                        | Local/ Imported   |
| J61 | Set of Guards for Item 43 Above  | 3                     | Nr                        | Local/ Imported   |
| J62 | Cbr Load Frame (Electric And Hand-<br>Operated), with 50 Kn Proving Ring And<br>Complete with All Accessories.   | 3                     | Nr                        | Local/ Imported   |
| J63 | Stabilising Bar for Ltem 45 Above.   | 3                     | Nr                        | Local/ Imported   |
| J64 | Proving Ring; As In Ltem 45 Above But 28<br>Kn Capacity  | 3                     | Nr                        | Local/ Imported   |
| J65 | Proving Ring; As In Ltem 45 Above But 10<br>Kn Capacity  | 3                     | Nr                        | Local/ Imported   |
| J66 | Penetration Gauge, 0- 25mm   | 6                     | Nr                        | Local/ Imported   |
| J67 | Cbr Piston Including Bracket   | 3                     | Nr                        | Local/ Imported   |
| J68 | Swell Measurement Tripod, Complete with Gauge Calibrated In 0.01 Mm Divisions  | 6                     | Nr                        | Local/ Imported   |
| J69 | Soaking Tank Sufficient for 100 CbrMoulds.   | 3                     | Nr                        | Local/ Imported   |
| J70 | Tamping Steel Bar, 13 Mm Diameter, 300<br>Mm Long  | 3                     | Nr                        | Local/ Imported   |
|     | Specified Gravity of Aggregates (BS 812)   |                       |                           |   |
| J71 | Wire Mesh Basket with Apertures Not<br>Greater Than 6.5 Mm And The Basket To Be<br>Large Enough To Take 2.5 Kg of Aggregate.   | 3                     | Nr                        | Local/ Imported   |
| J72 | Stout Water Tight Container In Which The<br>Basket Above Can Be Freely Suspended<br>Under Water  | 3                     | Nr                        | Local/ Imported   |
| J73 | Soft Absorbent Cloth (Tea Towel)   | 60                    | Nr                        | Local/ Imported   |
| J74 | Shallow Tray of Area Not Less Than 0.065m2   | 6                     | Nr                        | Local/ Imported   |
| J75 | An Airtight Container of Simiar Capacity To<br>The Basket In Ltem 55 Above   | 3                     | Nr                        | Local/ Imported   |
| J76 | Pycnometer of 1 Lire Capacity  | 12                    | Nr                        | Local/ Imported   |
| J77 | Hairdrier(Electric)  | 3                     | Nr                        | Local/ Imported   |
| Ј78 | a Semi-Automatic 5 Kg Weighing Balance<br>Accurate To 0.1 g of Size And Type To<br>Permit The Basket Containing The Sample<br>To Be Suspended In Water (To Be Supplied<br>Weights) | 3                     | Nr                        | Local/ Imported   |

| S/N  | ITEM DESCRIPTION  | QUAN<br>TITY<br>(QTY) | UNIT<br>OF<br>MEAS<br>URE | PLACE OF<br>PURCHASE OF<br>ITEMS (Local<br>or Imported) |
|------|---|-----------------------|---------------------------|---|
|      | Flakiness Index ( BS 812)   |                       |                           |   |
| J79  | Thickness Gauge   | 6                     | Nr                        | Local/ Imported   |
|      | Sieve Analysis (BS 1377)  |                       |                           | •   |
| J80  | Set of BS Sieves, 300 Mm Diameter, In Size 75 Mm, 63 Mm, 50 Mm, 37.5 Mm, 28 Mm, 20 Mm, 14 Mm, 10 Mm, 6.3 Mm, 5 Mm And 4 Mm Plus Lid And Receiver. | 8                     | Nr                        | Local/ Imported   |
| J81  | Set of BS Sieves, 200 Mm Diameter, In<br>Sizes 2 Mm, 1 Mm, 0.6 Mm, 0.5 Mm, 0.425<br>Mm, 0.300 Mm, 0.150 Mm And 0.075 Mm<br>Plus Lid And Receiver. | 8                     | Nr                        | Local/ Imported   |
| J82  | Electric Sieve Shaker   | 8                     | Nr                        | Local/ Imported   |
| J83  | BS Sieve,200 Mm Diameter, Size 0.425 Mm<br>And 0.075 Mm   | 6                     | Nr                        | Local/ Imported   |
| J84  | 1m×1m×75 Mm Deep Galvanised Metal Tray  | 60                    | Nr                        | Local/ Imported   |
| J85  | Riffle Box with 50 Mm Slots( BS 1377)   | 6                     | Nr                        | Local/ Imported   |
| J86  | Riffle Box with 10 Mm Slots( BS 1377)   | 3                     | Nr                        | Local/ Imported   |
| J87  | Specimen Mould Assembly   | 18                    | Nr                        | Local/ Imported   |
| J88  | Specimen Extractor  | 3                     | Nr                        | Local/ Imported   |
| J89  | Core Cutter Complete  | 3                     | Nr                        | Local/ Imported   |
| J90  | Marshall Compactor Complete   | 3                     | Nr                        | Local/ Imported   |
| J91  | Marshall Testing Machine Complete,<br>Including Flow Meter  | 3                     | Nr                        | Local/ Imported   |
| J92  | Electric Mixer with Isomantle   | 3                     | Nr                        | Local/ Imported   |
| J93  | Water Bath  | 3                     | Nr                        | Local/ Imported   |
| J94  | 200 Mm × 200 Mm × 50mm Deep Steel<br>Baking Trays   | 30                    | Nr                        | Local/ Imported   |
| J95  | Pots Suitable for Heating Bitumen   | 30                    | Nr                        | Local/ Imported   |
| J96  | Spatulas  | 15                    | Nr                        | Local/ Imported   |
| J97  | Dial Thermometers 10 To 210 Deg.c   | 15                    | Nr                        | Local/ Imported   |
| J98  | Gloves for Handing Hot Material   | 60                    | Pairs                     | Local/ Imported   |
| J99  | Rubber Gloves To Remove Specimens From<br>Water Bath  | 60                    | Pairs                     | Local/ Imported   |
| J100 | Flat Bottomed Scoop   | 6                     | Nr                        | Local/ Imported   |
| J101 | Ladle for Placing Mixture In Moulds   | 6                     | Nr                        | Local/ Imported   |
|      | Percentage Refusal Density Test   |                       |                           |   |
| J102 | Vibratory Hammer a Minium Power<br>Consumption of 75w Operating At 50 Or 60<br>Hz Complete with Shanks, Tampers, 8<br>Moulds And 9 Base Plates    | 6                     | Set.                      | Local/ Imported   |
|      | Maximum s.g. of Bitunmous Paving Mixtures(ASTM D2041)   |                       |                           | Local/ Imported   |
| J103 | Balance of Sufficient Capacity And<br>Sensitivity To Enable Maximum Specific  | 3                     | Nr                        | Local/ Imported   |

|              |   |       | UNIT | PLACE OF                         |
|--------------|---|-------|------|----------------------------------|
|              |   | QUAN  | OF   | PURCHASE OF                      |
| S/N          | ITEM DESCRIPTION  | TITY  | MEAS | ITEMS (Local                     |
|              |   | (QTY) | URE  | or Imported)                     |
|              | Gravity of Samples of Uncompacted Paving  |       |      |                                  |
|              | Mixtures To Be Calculated To At Least Four Significant figures. It Shall Be Equipped with a |       |      |                                  |
|              | Suitable Suspension Apparatus To Permit   |       |      |                                  |
|              | Weighingof The Samples While Suspended  |       |      |                                  |
|              | Centre of The Pan   |       |      |                                  |
| J104         | Vacuum Pump   | 3     | Nr   | Local/ Imported                  |
|              | Glass Or Metal Container of At Least 1000ml   |       |      |                                  |
|              | Capacity It Shall Be Sufficiently Strong To   |       |      |                                  |
| J105         | Withstand a Partial Vacuum.It Shall Have a Over Fitted with a Rubber Gasket And a Hose      | 3     | Nr   | Local/ Imported                  |
|              | Conection. Fine Wire Mesh Shall Cover The   |       |      |                                  |
|              | Hose Opening To Provent Loss of Fines.  |       |      |                                  |
|              | Quantitative Extraction of Bitumen ASTM   |       |      |                                  |
|              | D2127 And ASTM D95  |       |      |                                  |
|              | Water Bath for Use with Bowl Suitable for   |       |      |                                  |
| J106         | Immersing The Bowl And Apparatus for Suspending The Bowl From The Centre of                 | 3     | Nr   | Local/ Imported                  |
|              | The Scale Pan.  |       |      |                                  |
| 1107         | Oven Capable of Maintaining Temparature   | 2     | ) T  | T 1/T . 1                        |
| J107         | At 100 To 104 Deg.c   | 3     | Nr   | Local/ Imported                  |
| J108         | Flat Pan 300 Mm×200mm×25mm Deep .   | 3     | Nr   | Local/ Imported                  |
| J109         | Balance Capaity 5000 g Accurate To 0.2g   | 3     | Nr   | Local/ Imported                  |
| J110         | Balance Capacity 15000 g Accurate t o 1.0 g   | 3     | Nr   | Local/ Imported                  |
| J111         | Balance Capaity 5000 g Accurate To 1.0g   | 8     | Nr   | Local/ Imported                  |
| J112         | Small Mouth Graduate 1000 Ml Capacity   | 9     | Nr   | Local/ Imported                  |
| J113         | Ignition Dish 125 Mm Capacity   | 6     | Nr   | Local/ Imported                  |
| J114         | Desiccator  | 3     | Nr   | Local/ Imported                  |
| J115         | Analytical Balance  | 3     | Nr   | Local/ Imported                  |
| J116         | Centrifuge To Astm e2172  | 3     | Nr   | Local/ Imported                  |
| J117         | Filter Rings for Centrifuge   | 1500  | Nr   | Local/ Imported                  |
| J118         | Reflux Condenser To Astm e95  | 12    | Nr   | Local/ Imported                  |
| J119         | Trichloethylene Reagent Grade   | 1500  | Itr  | Local/ Imported                  |
| J120         | Extractor Fan   | 3     | Nr   | Local/Imported                   |
|              |   |       |      |                                  |
|              | Recovery of Bitumen From Solution   |       |      |                                  |
| J121         | Centrifuge To Aashto t170   | 3     | Nr   | Local/ Imported                  |
| J122         | Centrifuge Tubes  | 60    | Nr   | Local/ Imported                  |
| J123         | Distillation Assembly To Aasthto t170   | 3     | Nr   | Local/ Imported                  |
| J124         | Water Jacketed Condenser  | 3     | Nr   | Local/ Imported                  |
| J125         | Astm Low Distillation Thermometer with  | 6     | Nr   | Local/ Imported                  |
| J126         | Range -2 To 300 Deg. c Gas Flow Meter   | 3     | Nr   | Local/ Imported                  |
| J126<br>J127 | Corks Drilled As Aashto t170  | 60    | Nr   | Local/ Imported  Local/ Imported |
| J127         | Separator Funnel 125 Ml Capacity  | 3     | Nr   | Local/ Imported                  |
| J120         | Separator Funner 123 WII Capacity   | 3     | 111  | Local Imported                   |

|      |   |       | LIMIT      | DI ACE OF               |
|------|---|-------|------------|-------------------------|
|      |   | QUAN  | UNIT<br>OF | PLACE OF<br>PURCHASE OF |
| S/N  | ITEM DESCRIPTION  | TITY  | MEAS       | ITEMS (Local            |
|      |   | (QTY) | URE        | or Imported)            |
| J129 | Supply of Carbon Dioxide  | 300   | Kgs        | Local/ Imported         |
|      | Miscellaneous Laboratory Reagents   |       |            |                         |
| J130 | Flexing Tubing  | 150   | m          | Local/ Imported         |
| J131 | Sodium Hexamataphosphate  | 30    | Kgs        | Local/ Imported         |
| J132 | Sand for Density Test   | 500   | Kgs        | Local/ Imported         |
| J133 | Calcium Carbide   | 30    | Kgs        | Local/ Imported         |
| J134 | Sodium Sulphate(Anhydrous Salt)   | 60    | Kgs        | Local/ Imported         |
| J135 | Sodium Hydroxide(Reagent Grade)   | 3     | Kgs        | Local/ Imported         |
| J136 | Sulphuric Acid (Concentrated)   | 2     | Itr        | Local/ Imported         |
|      | Miscellaneous Laboratory Equipment  |       |            |                         |
| J137 | Rolling Straight Edge   | 3     | Nr         | Local/ Imported         |
| J138 | Wheel Barrow  | 18    | Nr         | Local/ Imported         |
| J139 | Dustpan Brush   | 12    | Nr         | Local/ Imported         |
| J140 | Shovel  | 30    | Nr         | Local/ Imported         |
| J141 | Pick Axe with Handle  | 18    | Nr         | Local/ Imported         |
| J142 | Metal Scoop.Large(150 Mm Wide)  | 12    | Nr         | Local/ Imported         |
| J143 | Metal Scoop. Medium (100 Mm Wide)   | 18    | Nr         | Local/ Imported         |
| J144 | Garden Trowel   | 12    | Nr         | Local/ Imported         |
| J145 | Steel Tray 0.3m×0.3m×0.01m Deep   | 60    | Nr         | Local/ Imported         |
| J146 | 3.5 Kg Hammer   | 6     | Nr         | Local/ Imported         |
| J147 | 7 Kg Hammer   | 6     | Nr         | Local/ Imported         |
| J148 | Rubber Mallet (1 Kg)  | 12    | Nr         | Local/ Imported         |
| J149 | Cold Steel Chisel   | 18    | Nr         | Local/ Imported         |
| J150 | 1.0 Metre Straight Edge   | 9     | Nr         | Local/ Imported         |
| J151 | Oven, Electric Thermostatically Controlled To<br>Any Temperature From 10° To 150°C<br>,0.225m3 Main Capacity Including Dial<br>Thermometer Range 10°-160°C(BS 1377) | 12    | Nr         | Local/ Imported         |
| J152 | As Ltem 214 Above But Gas   | 6     | Nr         | Local/ Imported         |
| J153 | Single Plate Electric Cooker  | 6     | Nr         | Local/ Imported         |
| J154 | 3 Metre Straight Edge Including Calibratded<br>Wedges   | 3     | Nr         | Local/ Imported         |
| J155 | Moisture Content Tin,75mm Diameter,Cadmium Plated Or Aluminium with Lids  | 500   | Nr         | Local/ Imported         |
| J156 | Liquid Limit Device, Complete with 2<br>Grooving Tools To BS 1377, And Gauge  | 6     | Nr         | Local/ Imported         |
| J157 | Cone Pentrometer with Test Gauge, Automatic Controller, Penetration Test Cup, Metal Straight Edge And Spare Cone  | 12    | Nr         | Local/ Imported         |
| J158 | 500mm×500mm×10mm Glass Plate(BS 1377)   | 12    | Nr         | Local/ Imported         |
| J159 | Steel Rod 75mm Long ×3.2mm Diameter   | 6     | Nr         | Local/ Imported         |
| J160 | Palette Knife 200 Mm Long Blade   | 18    | Nr         | Local/ Imported         |

| S/N  |      |  |       | UNIT | PLACE OF        |
|--|------|--|-------|------|-----------------|
|  |      |  | QUAN  |      |                 |
|  | S/N  | ITEM DESCRIPTION   |       |      |                 |
| J162   BS Sieve 300 Mm Diameter,37.5 Mm   3   Nr   Local/ Imported     J163   BS Sieve 300 Mm Diameter,20 Mm   3   Nr   Local/ Imported     J164   BS Sieve 300 Mm Diameter,5 Mm   3   Nr   Local/ Imported     J165   BS Sieve 300 Mm Diameter,0.6 Mm   3   Nr   Local/ Imported     J166   BS Sieve 300 Mm Diameter,0.425 Mm   6   Nr   Local/ Imported     J167   BS Sieve 300 Mm Diameter,0.425 Mm   3   Nr   Local/ Imported     J168   BS Sieve 300 Mm Diameter,0.075 Mm   12   Nr   Local/ Imported     J169   Lid And Receiver for The Each of The Above   Seives     J170   BS Sieve Brush   3   Nr   Local/ Imported     J171   Measuring Cylinder   Set,25ml,100ml,500ml,2000ml   9   Set   Local/ Imported     J172   Glass Jar Capacity 5 Litres with Lid   60   Nr   Local/ Imported     J173   200mm×200mm×20mm Cadmium Plated Or   Aluminium Tin   150   Nr   Local/ Imported     J174   Electronic Balance Capacity 1000 g Accurate   To 0.01 g   Local/ Imported     J175   Electronic Top-Pan Balance 2500 g Capacity   4   Nr   Local/ Imported     J176   Balance 2000 g Capacity Accurate To 0.1 g   (Manual) Including Weights   8   Nr   Local/ Imported     J177   Balance 50 Kg Capacity Accurate To 0.1 g   Rodunding Weights   8   Nr   Local/ Imported     J178   Still for Producing Distilled Water   3   Nr   Local/ Imported     J179   Polythene Or Glass 20 Litres Storage Vessels   3   Nr   Local/ Imported     J180   Still for Producing Distilled Water   3   Nr   Local/ Imported     J181   Vernier Calipers,250 Mm   3   Nr   Local/ Imported     J182   Vernier Calipers,250 Mm   3   Nr   Local/ Imported     J183   Pestel And Mortar   3   Nr   Local/ Imported     Lockable Tool Box Containing:1 Pair   "Molegrips",2×150 Mm Screw Driver,2×300 Mm   And 300 Mm ,1 Pair Roundnose     J184   Linear Shrinkage Mould(BS 1377)   30   Nr   Local/ Imported     Lockable Tool Box Containing:1 Pair   "Molegrips",2×150 Mm Screw Driver,2×300 Mm   And 300 Mm ,1 Pair Roundnose     J187   Palsic Or Metal Bucket Including Lid, 10   Litres Capacity Jerricans Complete with  |      |  | (QIY) |      |                 |
| J163   | J161 | Palette Knife 100 Mm Long Blade  | 18    | Nr   | Local/ Imported |
| J164   BS Sieve 300 Mm Diameter, 5 Mm   3 Nr   Local/ Imported   J165   BS Sieve 300 Mm Diameter, 0.425 Mm   3 Nr   Local/ Imported   J167   BS Sieve 300 Mm Diameter, 0.425 Mm   3 Nr   Local/ Imported   J168   BS Sieve 300 Mm Diameter, 0.425 Mm   3 Nr   Local/ Imported   J168   BS Sieve 300 Mm Diameter, 0.075 Mm   12 Nr   Local/ Imported   J169   Lid And Receiver for The Each of The Above   Seives   3 Set.   Local/ Imported   J170   BS Sieve Brush   3 Nr   Local/ Imported   J170   BS Sieve Brush   3 Nr   Local/ Imported   J171   Measuring Cylinder   Set, 25ml, 100ml, 500ml, 1000ml, 2000ml   9 Set.   Local/ Imported   J172   Glass Jar Capacity 5 Litres with Lid   60 Nr   Local/ Imported   J173   200mm*20mm*20mm Cadmium Plated Or   Aluminium Tin   Lectronic Balance Capacity 1000 g Accurate   To 0.01 g   Local/ Imported   J174   Electronic Balance Capacity 1000 g Accurate   To 0.01 g   Local/ Imported   J176   Electronic Top-Pan Balance 2500 g Capacity, Sensitive To 0.01g   Balance 2000 g Capacity Accurate To 0.1g (Manual) Including Weights   Nr   Local/ Imported   J177   Balance 2000 g Capacity Accurate To 0.1g (Manual) Including Weights   Nr   Local/ Imported   J178   Still for Producing Distilled Water   3 Nr   Local/ Imported   J178   Still for Producing Distilled Water   3 Nr   Local/ Imported   J180   Stiff Broom   12 Nr   Local/ Imported   J181   Vernier Calipers, 150 Mm   3 Nr   Local/ Imported   J181   Vernier Calipers, 250 Mm   3 Nr   Local/ Imported   J182   Vernier Calipers, 250 Mm   3 Nr   Local/ Imported   Lockable Tool Box Containing: Pair   Molegrips, 2150 Mm Screw Driver, 2×300 Mm And 300 Mn , 1 Pair Roundnose   J187   Local / Imported   L | J162 | BS Sieve 300 Mm Diameter,37.5 Mm   | 3     | Nr   | Local/ Imported |
| J165   BS Sieve 300 Mm Diameter, 0.6 Mm  | J163 | BS Sieve 300 Mm Diameter,20 Mm   | 3     | Nr   | Local/ Imported |
| J166   | J164 | BS Sieve 300 Mm Diameter,5 Mm  | 3     | Nr   | Local/ Imported |
| J167   BS Sieve 300 Mm Diameter,0.3 Mm   3 Nr   Local/ Imported   J168   BS Sieve 300 Mm Diameter,0.075 Mm   12 Nr   Local/ Imported   J169   Lid And Receiver for The Each of The Above   Seives   3 Set.   Local/ Imported   J170   BS Sieve Brush   3 Nr   Local/ Imported   J171   Measuring Cylinder   Set,25ml,100ml,500ml,1000ml,2000ml   9 Set.   Local/ Imported   J172   Glass Jar Capacity 5 Litres with Lid   60 Nr   Local/ Imported   J173   200mm×20mm×20mm Cadmium Plated Or   Aluminium Tin   Lectronic Balance Capacity 1000 g Accurate   To 0.01 g   J174   Electronic Top-Pan Balance 2500 g Capacity, Sensitive To 0.01g   Manual) Including Weights   Salance 2000 g Capacity Accurate To 0.1g   (Manual) Including Weights   Mr   Local/ Imported   J176   Balance 2000 g Capacity Accurate To 10 g   Including Weights   Still for Producing Distilled Water   3 Nr   Local/ Imported   J179   Polythene Or Glass 20 Litres Storage Vessels with Tap At The Bottom   J180   Stiff Broom   12 Nr   Local/ Imported   J181   Vernier Calipers,150 Mm   3 Nr   Local/ Imported   J181   Vernier Calipers,250 Mm   3 Nr   Local/ Imported   J183   Pestel And Mortar   3 Nr   Local/ Imported   J184   Linear Shrinkage Mould(BS 1377)   30 Nr   Local/ Imported   J184   Linear Shrinkage Mould(BS 1377)   30 Nr   Local/ Imported   J185   Average Least Dimension Gauge   3 Nr   Local/ Imported   J186   Driver,2×200 Mm Screw Driver,2×300 Mm Screw Driver, | J165 | BS Sieve 300 Mm Diameter, 0.6 Mm   | 3     | Nr   | Local/ Imported |
| J168   BS Sieve 300 Mm Diameter, 0.075 Mm   12   Nr   Local/ Imported  | J166 | BS Sieve 300 Mm Diameter, 0.425 Mm   | 6     | Nr   | Local/ Imported |
| J169   | J167 | BS Sieve 300 Mm Diameter, 0.3 Mm   | 3     | Nr   | Local/ Imported |
| J169   | J168 | BS Sieve 300 Mm Diameter, 0.075 Mm   | 12    | Nr   | Local/ Imported |
| J171   Measuring Cylinder   Set, 25ml, 100ml, 500ml, 1000ml, 2000ml   9   Set.   Local/ Imported     J172   Glass Jar Capacity 5 Litres with Lid   60   Nr   Local/ Imported     J173   200mm×200mm×20mm Cadmium Plated Or   Aluminium Tin   150   Nr   Local/ Imported     J174   Electronic Balance Capacity 1000 g Accurate   To 0.01 g   Nr   Local/ Imported     J175   Electronic Top-Pan Balance 2500 g Capacity, Sensitive To 0.01 g   Wr   Local/ Imported     J176   Balance 2000 g Capacity Accurate To 0.1 g (Manual) Including Weights   Nr   Local/ Imported     J177   Balance 50 Kg Capacity Accurate To 10 g   Nr   Local/ Imported     J178   Still for Producing Distilled Water   3   Nr   Local/ Imported     J179   Polythene Or Glass 20 Litres Storage Vessels   with Tap At The Bottom   12   Nr   Local/ Imported     J180   Stiff Broom   12   Nr   Local/ Imported     J181   Vernier Calipers, 150 Mm   3   Nr   Local/ Imported     J182   Vernier Calipers, 250 Mm   3   Nr   Local/ Imported     J183   Pestel And Mortar   3   Nr   Local/ Imported     J184   Linear Shrinkage Mould(BS 1377)   30   Nr   Local/ Imported     J185   Average Least Dimension Gauge   3   Nr   Local/ Imported     J186   Driver, 2×200 Mm Screw Driver, 2×200 Mm Screw Driver, 2×300 Mm Screw Driver, 2×200 Mm And 300 Mm , 1 Pair Roundnose     J187   Plastic Or Metal Bucket Including Lid, 10   Litres Capacity     J188   Polythene Wash Bottle (500 Ml)   18   Nr   Local / Imported     J189   Local / Imported     J189   Local / Imported     J189   Local / Imported     J180   Nr   Local / Imported     J181   Local / Imported     J182   Local / Imported     J183   Polythene Wash Bottle (500 Ml)   18   Nr   Local / Imported     J184   Linear Storage of Water   60   Nr   Local / Imported     J185   Local / Imported     J186   Driver, 2×200 Mean Screw Driver, 2×300 Mm     Local / Imported     J187   Local / Imported     J188   Polythene Wash Bottle (500 Ml)   18   Nr   Local / | J169 | Lid And Receiver for The Each of The Above   | 3     | Set. |                 |
| J171   Measuring Cylinder   Set, 25ml, 100ml, 500ml, 1000ml, 2000ml   9   Set.   Local/ Imported     J172   Glass Jar Capacity 5 Litres with Lid   60   Nr   Local/ Imported     J173   200mm×200mm×20mm Cadmium Plated Or   Aluminium Tin   150   Nr   Local/ Imported     J174   Electronic Balance Capacity 1000 g Accurate   To 0.01 g   Nr   Local/ Imported     J175   Electronic Top-Pan Balance 2500 g Capacity, Sensitive To 0.01 g   Wr   Local/ Imported     J176   Balance 2000 g Capacity Accurate To 0.1 g (Manual) Including Weights   Nr   Local/ Imported     J177   Balance 50 Kg Capacity Accurate To 10 g   Nr   Local/ Imported     J178   Still for Producing Distilled Water   3   Nr   Local/ Imported     J179   Polythene Or Glass 20 Litres Storage Vessels   with Tap At The Bottom   12   Nr   Local/ Imported     J180   Stiff Broom   12   Nr   Local/ Imported     J181   Vernier Calipers, 150 Mm   3   Nr   Local/ Imported     J182   Vernier Calipers, 250 Mm   3   Nr   Local/ Imported     J183   Pestel And Mortar   3   Nr   Local/ Imported     J184   Linear Shrinkage Mould(BS 1377)   30   Nr   Local/ Imported     J185   Average Least Dimension Gauge   3   Nr   Local/ Imported     J186   Driver, 2×200 Mm Screw Driver, 2×200 Mm Screw Driver, 2×300 Mm Screw Driver, 2×200 Mm And 300 Mm , 1 Pair Roundnose     J187   Plastic Or Metal Bucket Including Lid, 10   Litres Capacity     J188   Polythene Wash Bottle (500 Ml)   18   Nr   Local / Imported     J189   Local / Imported     J189   Local / Imported     J189   Local / Imported     J180   Nr   Local / Imported     J181   Local / Imported     J182   Local / Imported     J183   Polythene Wash Bottle (500 Ml)   18   Nr   Local / Imported     J184   Linear Storage of Water   60   Nr   Local / Imported     J185   Local / Imported     J186   Driver, 2×200 Mean Screw Driver, 2×300 Mm     Local / Imported     J187   Local / Imported     J188   Polythene Wash Bottle (500 Ml)   18   Nr   Local / | J170 | BS Sieve Brush   | 3     | Nr   | Local/ Imported |
| J172   Glass Jar Capacity 5 Litres with Lid   J173   200mm×200mm×20mm Cadmium Plated Or Aluminium Tin   Local/ Imported   J174   Electronic Balance Capacity 1000 g Accurate   To 0.01 g   To 0.01 g   To 0.01 g   Local/ Imported   J175   Electronic Top-Pan Balance 2500 g Capacity, Sensitive To 0.01g   Balance 2000 g Capacity Accurate To 0.1g (Manual) Including Weights   Rocal/ Imported   J176   Balance 50 Kg Capacity Accurate To 0.1g (Manual) Including Weights   Rocal/ Imported   J177   Balance 50 Kg Capacity Accurate To 10 g Including Weights   Still for Producing Distilled Water   J178   Still for Producing Distilled Water   J179   Polythene Or Glass 20 Litres Storage Vessels with Tap At The Bottom   J180   Stiff Broom   J2 Nr   Local/ Imported   J181   Vernier Calipers, 150 Mm   J81   Vernier Calipers, 250 Mm   J82   Vernier Calipers, 250 Mm   J83   Nr   Local/ Imported   J184   Linear Shrinkage Mould(BS 1377)   J30   Nr   Local/ Imported   J184   Linear Shrinkage Mould(BS 1377)   J30   Nr   Local/ Imported   Lockable Tool Box Containing: 1 Pair   "Molegrips". 2×150 Mm Screw Driver, 2×200   Mm Screw Driver, 2×300 Mm Screw Driver, 2×300 Mm   Average Least Dimension Gauge   J186   Driver, 2×300 Mm Screw Driver, 2×300 Mm   And 300 Mm , 1 Pair Roundnose   J187   Plastic Or Metal Bucket Including Lid, 10   Litres Capacity   Plastic Or Metal Bucket Including Lid, 10   Litres Capacity   Jerricans Complete with   Lid for Storage of Water   Local / Imported   J189   Local / Imported   J189   Local / Jerricans Complete with   Lid for Storage of Water   Local / Imported   J189   Local / Imported   J189   Local / Jerricans Complete with   Lid for Storage of Water   Local / Imported   J180   Local / Imported   J180 | J171 |  | 9     | Set. |                 |
| J173   Z00mm×200mm×20mm Cadmium Plated Or Aluminium Tin   Local/ Imported     J174   Electronic Balance Capacity 1000 g Accurate   To 0.01 g   Electronic Top-Pan Balance 2500 g Capacity, Sensitive To 0.01g   A Nr   Local/ Imported     J175   Electronic Top-Pan Balance 2500 g Capacity, Sensitive To 0.01g   A Nr   Local/ Imported     J176   Balance 2000 g Capacity Accurate To 0.1g (Manual) Including Weights   Nr   Local/ Imported     J177   Balance 50 Kg Capacity Accurate To 10 g Including Weights   Nr   Local/ Imported     J178   Still for Producing Distilled Water   3 Nr   Local/ Imported     J179   Polythene Or Glass 20 Litres Storage Vessels with Tap At The Bottom   12 Nr   Local/ Imported     J180   Stiff Broom   12 Nr   Local/ Imported     J181   Vernier Calipers,150 Mm   3 Nr   Local/ Imported     J182   Vernier Calipers,250 Mm   3 Nr   Local/ Imported     J183   Pestel And Mortar   3 Nr   Local/ Imported     J184   Linear Shrinkage Mould(BS 1377)   30 Nr   Local/ Imported     J185   Average Least Dimension Gauge   3 Nr   Local/ Imported     Lockable Tool Box Containing: Pair   "Molegrips",2×150 Mm Screw Driver,2×200 Mm Screw Driver,2×300 Mm Screw Driver,1 Standard And 1 Phillips     Head of Each )Adjustable Spanners 200 Mm     And 300 Mm , 1 Pair Roundnose   Plastic Or Metal Bucket Including Lid, 10     Litres Capacity   Litres Capacity Jerricans Complete with     Lide of Storage of Water   60 Nr   Local / Imported     J189   Z0 Litre Capacity Jerricans Complete with     Lide of Storage of Water   20 Litre Capacity Jerricans Complete with     Local / Imported   Local / Imported     J189   Z0 Litre Capacity Jerricans Complete with     Lide of Storage of Water   Local / Imported     J180   Nr   Local / Imported   | J172 |  | 60    | Nr   | Local/ Imported |
| J174   To 0.01 g   | J173 | 200mm×20mm×20mm Cadmium Plated Or  | 150   | Nr   | _               |
| J175 Sensitive To 0.01g  J176 Balance 2000 g Capacity Accurate To 0.1g (Manual) Including Weights  J177 Balance 50 Kg Capacity Accurate To 10 g Including Weights  J178 Still for Producing Distilled Water  J179 Polythene Or Glass 20 Litres Storage Vessels with Tap At The Bottom  J180 Stiff Broom  J181 Vernier Calipers, 150 Mm  J182 Vernier Calipers, 250 Mm  J183 Pestel And Mortar  J184 Linear Shrinkage Mould(BS 1377)  J185 Average Least Dimension Gauge  J186 Driver, 2×300 Mm Screw Driver, 2×200 Mm Screw Driver, 2×300 Mm Screw Driver, 2×300 Mm Screw Driver, 2×300 Mm Screw Driver, 2×300 Mm And 300 Mm, 1 Pair Roundnose  J187 Plastic Or Metal Bucket Including Lid, 10 Litres Capacity  J188 Polythene Wash Bottle (500 Ml)  J189 Clitre Capacity Jerricans Complete with Lid for Storage of Water   | J174 | To 0.01 g  | 6     | Nr   | Local/ Imported |
| J176   (Manual) Including Weights   Balance 50 Kg Capacity Accurate To 10 g   Including Weights   Still for Producing Distilled Water   3 Nr   Local/ Imported   | J175 | Sensitive To 0.01g   | 4     | Nr   | Local/ Imported |
| J178   Still for Producing Distilled Water   3 Nr   Local/ Imported  | J176 | (Manual) Including Weights   | 8     | Nr   | Local/ Imported |
| J179   Polythene Or Glass 20 Litres Storage Vessels with Tap At The Bottom   J180   Stiff Broom   12   Nr   Local/ Imported     J181   Vernier Calipers,150 Mm   3   Nr   Local/ Imported     J182   Vernier Calipers,250 Mm   3   Nr   Local/ Imported     J183   Pestel And Mortar   3   Nr   Local/ Imported     J184   Linear Shrinkage Mould(BS 1377)   30   Nr   Local/ Imported     J185   Average Least Dimension Gauge   3   Nr   Local/ Imported     Lockable Tool Box Containing:1 Pair   "Molegrips",2×150 Mm Screw Driver,2×200   Mm Screw Driver,2×300 Mm Screw Driver,2 ×300 Mm   4   Nr   Local/ Imported     J186   Driver,2×200 Mm Screw Driver,2×300 Mm   And 300 Mm , 1 Pair Roundnose   J187   Plastic Or Metal Bucket Including Lid, 10   Litres Capacity   J188   Polythene Wash Bottle (500 Ml)   18   Nr   Local / Imported     J189   20 Litre Capacity Jerricans Complete with   Lid for Storage of Water   60   Nr   Local / Imported  | J177 |  | 8     | Nr   | Local/ Imported |
| With Tap At The Bottom   12 Nr   Local/ Imported   | J178 |  | 3     | Nr   | Local/ Imported |
| J181   Vernier Calipers,150 Mm   3 Nr   Local/ Imported     J182   Vernier Calipers,250 Mm   3 Nr   Local/ Imported     J183   Pestel And Mortar   3 Nr   Local/ Imported     J184   Linear Shrinkage Mould(BS 1377)   30 Nr   Local/ Imported     J185   Average Least Dimension Gauge   3 Nr   Local/ Imported     Lockable Tool Box Containing: 1 Pair     "Molegrips",2×150 Mm Screw Driver,2×200     Mm Screw Driver,2×300 Mm Screw     J186   Driver,2×200 Mm Screw Driver,2×300 Mm   4 Nr   Local/ Imported     Screw Driver,(1 Standard And 1 Phillips     Head of Each )Adjustable Spanners 200 Mm     And 300 Mm , 1 Pair Roundnose     J187   Plastic Or Metal Bucket Including Lid, 10     Litres Capacity     J188   Polythene Wash Bottle (500 Ml)   18 Nr   Local / Imported     J189   20 Litre Capacity Jerricans Complete with     Lid for Storage of Water   60 Nr   Local / Imported   | J179 |  | 3     | Nr   | Local/ Imported |
| J182   Vernier Calipers,250 Mm   3   Nr   Local/ Imported     J183   Pestel And Mortar   3   Nr   Local/ Imported     J184   Linear Shrinkage Mould(BS 1377)   30   Nr   Local/ Imported     J185   Average Least Dimension Gauge   3   Nr   Local/ Imported     Lockable Tool Box Containing: 1 Pair   "Molegrips",2×150 Mm Screw Driver,2×200   Mm Screw Driver,2×300 Mm Screw Driver,2×300 Mm Screw Driver,2 Screw Driver, (1 Standard And 1 Phillips   Head of Each ) Adjustable Spanners 200 Mm   And 300 Mm , 1 Pair Roundnose     J187   Plastic Or Metal Bucket Including Lid, 10   Litres Capacity   J188   Polythene Wash Bottle (500 Ml)   18   Nr   Local / Imported     J189   Z0 Litre Capacity Jerricans Complete with   Lid for Storage of Water   60   Nr   Local / Imported  | J180 | Stiff Broom  | 12    | Nr   | Local/ Imported |
| J183   Pestel And Mortar   3 Nr   Local/ Imported     J184   Linear Shrinkage Mould(BS 1377)   30 Nr   Local/ Imported     J185   Average Least Dimension Gauge   3 Nr   Local/ Imported     Lockable Tool Box Containing: 1 Pair   "Molegrips", 2×150 Mm Screw Driver, 2×200 Mm Screw Driver, 2×300 Mm Screw Driver, 2×300 Mm Screw Driver, 2×300 Mm Screw Driver, 2 Some Mand 300 Mm And 300 Mm, 1 Pair Roundnose   J187   Plastic Or Metal Bucket Including Lid, 10 Litres Capacity   J188   Polythene Wash Bottle (500 Ml)   18 Nr   Local / Imported     J189   Z0 Litre Capacity Jerricans Complete with Lid for Storage of Water   60 Nr   Local / Imported   | J181 | Vernier Calipers,150 Mm  | 3     | Nr   | Local/ Imported |
| J184   Linear Shrinkage Mould(BS 1377)   30   Nr   Local/Imported     J185   Average Least Dimension Gauge   3   Nr   Local/Imported     Lockable Tool Box Containing:1 Pair   "Molegrips",2×150 Mm Screw Driver,2×200   Mm Screw Driver,2×300 Mm Screw Driver,2×300 Mm Screw Driver,2×200 Mm Screw Driver,1 Standard And 1 Phillips   Head of Each )Adjustable Spanners 200 Mm   And 300 Mm , 1 Pair Roundnose     J187   Plastic Or Metal Bucket Including Lid, 10   Litres Capacity   30   Nr   Local/Imported     J188   Polythene Wash Bottle (500 Ml)   18   Nr   Local/Imported     J189   20 Litre Capacity Jerricans Complete with   Lid for Storage of Water   60   Nr   Local/Imported  | J182 | Vernier Calipers,250 Mm  | 3     | Nr   | Local/ Imported |
| J185   | J183 | Pestel And Mortar  | 3     | Nr   | Local/ Imported |
| Lockable Tool Box Containing: 1 Pair "Molegrips",2×150 Mm Screw Driver,2×200 Mm Screw Driver,2×300 Mm Screw  J186 Driver,2×200 Mm Screw Driver,2×300 Mm Screw Driver,(1 Standard And 1 Phillips Head of Each )Adjustable Spanners 200 Mm And 300 Mm, 1 Pair Roundnose  J187 Plastic Or Metal Bucket Including Lid, 10 Litres Capacity  J188 Polythene Wash Bottle (500 Ml)  J189 20 Litre Capacity Jerricans Complete with Lid for Storage of Water  Local /Imported   | J184 | Linear Shrinkage Mould(BS 1377)  | 30    | Nr   | Local/ Imported |
| Lockable Tool Box Containing: 1 Pair "Molegrips",2×150 Mm Screw Driver,2×200 Mm Screw Driver,2×300 Mm Screw  J186 Driver,2×200 Mm Screw Driver,2×300 Mm Screw Driver,(1 Standard And 1 Phillips Head of Each )Adjustable Spanners 200 Mm And 300 Mm, 1 Pair Roundnose  J187 Plastic Or Metal Bucket Including Lid, 10 Litres Capacity  J188 Polythene Wash Bottle (500 Ml)  J189 20 Litre Capacity Jerricans Complete with Lid for Storage of Water  Local /Imported   | J185 | Average Least Dimension Gauge  | 3     | Nr   | Local/ Imported |
| Litres Capacity   S0 Nr   Local /Imported  |      | Lockable Tool Box Containing: 1 Pair "Molegrips",2×150 Mm Screw Driver,2×200 Mm Screw Driver,2×300 Mm Screw Driver,2×200 Mm Screw Driver,2×300 Mm Screw Driver,(1 Standard And 1 Phillips Head of Each )Adjustable Spanners 200 Mm | 4     | Nr   | -               |
| J189 20 Litre Capacity Jerricans Complete with Lid for Storage of Water 60 Nr Local /Imported  | J187 |  | 30    | Nr   | Local /Imported |
| Lid for Storage of Water 60 Nr Local /Imported   | J188 |  | 18    | Nr   | Local /Imported |
| J190 a4 Size Clipboard 30 Nr Local /Imported   | J189 |  | 60    | Nr   | Local /Imported |
|  | J190 | a4 Size Clipboard  | 30    | Nr   | Local /Imported |

| S/N  | ITEM DESCRIPTION   | QUAN<br>TITY<br>(QTY) | UNIT<br>OF<br>MEAS<br>URE | PLACE OF<br>PURCHASE OF<br>ITEMS (Local<br>or Imported) |
|------|--|-----------------------|---------------------------|---|
| J191 | Thermometer ,Range-50°C To 150°C,<br>Glass(BS 593)   | 12                    | Nr                        | Local/ Imported   |
| J192 | Laboratory Thermometer , Range 0° To +250°C (BS 593)   | 6                     | Nr                        | Local/ Imported   |
| J193 | Maximum/MinimunThermomter (BS b692)  | 3                     | Nr                        | Local/ Imported   |
| J194 | Rain Guage   | 9                     | Nr                        | Local/ Imported   |
| J195 | Portable Dial Thermometer + 50°C -+ 250 °C<br>Accurate To ±3% with 0.75 m Long Stem  | 6                     | Nr                        | Local/ Imported   |
| J196 | Pocket Dial Gauge Thermometer + 50°C To<br>+ 250 °C Accurate To ±3% with 0.1 m Long<br>Stem  | 12                    | Nr                        | Local/ Imported   |
| J197 | Hot Plate 200 Mm Diameter with Simmerstat<br>Heat Control Unit   | 6                     | Nr                        | Local/ Imported   |
| J198 | 5 Litres Capacity Steel Storage Containers<br>with Leak And Dust Proof Lids for Storage of<br>Bitumen Samples  | 300                   | Nr                        | Local/ Imported   |
| J199 | 450 Mm Diameter × 150 Mm Deep Karais   | 36                    | Nr                        | Local/ Imported   |
|      | Concrete:Slump And Cube Manufacture  |                       |                           |   |
| J200 | Slump Cone, Tamping Rod And Base Board   | 6                     | Set.                      | Local/ Imported   |
| J201 | Concrete Cube Mould, 150 Mm × 150 Mm 150mm   | 90                    | Nr                        | Local/ Imported   |
| J202 | Soaking Tank for Cubes(Capacity 50 No.)  | 3                     | Nr                        | Local/ Imported   |
| J203 | Tamping Steel Bar, 13 Mm Diameter ,300<br>Mm Long  | 9                     | Nr                        | Local/ Imported   |
|      | Concrete:Cube Compression Testing  |                       |                           |   |
| J204 | Concrete Compression Machine To BS ,1610<br>Grade a, Electric/Manually-Operated with<br>300 Mm Gauge,RectangularPlattens ,1650 Kn<br>Capacity.   | 4                     | Nr                        | Local/ Imported   |
| J205 | Safety Guard for Equipment In Ltem 189<br>Above.   | 4                     | Nr                        | Local/ Imported   |
| J206 | 50 mm Distance Spacer for Ltem 189 Above.  | 8                     | Nr                        | Local/ Imported   |
| J207 | 70 mm Distance Spacer for Ltem 189 Above.  | 8                     | Nr                        | Local/ Imported   |
| J208 | 100 mm Distance Spacer for Ltem 189<br>Above.  | 8                     | Nr                        | Local/ Imported   |
| J209 | Mechanical Load Pacer  | 4                     | Nr                        | Local/ Imported   |
|      | Aggregates And Chippings   |                       |                           |   |
| J210 | Sand Equivalent Equipment To Aashto t176 Including a Graduated Plastic Cylinder,RubberStopper,IrrigationTube,Weig hted Fill Assembly Siphon Assembly, 85 Ml Tinned Box ( 57 Mm Dia. ),Wide Mouth Funnel (100 Mm Dia.),Stop Clock,Mechanical Shaker And 10 Litr | 4                     | Set.                      | Local/ Imported   |
| J211 | Beaker 250 Ml  | 6                     | Nr                        | Local/ Imported   |
| J212 | Thermometer, 0°C To + 50°C   | 6                     | Nr                        | Local/ Imported   |
| J213 | Thermometer, 0°C To + 250°C  | 6                     | Nr                        | Local/ Imported   |

|      |  |          | UNIT   | PLACE OF        |
|------|--|----------|--|-----------------|
|      |  | QUAN     | OF   | PURCHASE OF     |
| S/N  | ITEM DESCRIPTION   | TITY     |  | ITEMS (Local    |
|      |  | (QTY)    |  | or Imported)    |
| J214 | Reagent Grade Silica Gel,500 g Container                         | 60       | Nr   | Local/ Imported |
|      | Aggregate Crushing Value Apparatus ,130                          |          |  | •               |
| J215 | Mm Nominal Diameter ,Including Plunger                           | 4        | Nr   | Local/ Imported |
|      | And Base Plate   |          |  | •               |
| J216 | Tamping Rod And Metal Measure for Above                          | 4        | Set  | Local/ Imported |
| 3210 | (BS 812)   |          | SCI.   | Local/ Imported |
|      | Transverse Distribution of Spray Test for                        |          |  |                 |
| J217 | Bitumen Distributor ( Depot Tray Test To BS                      | 4        | Set.   | Local/ Imported |
|      | 1707) Equipment  |          |  |                 |
| J218 | Steel Tray 20 Mm Deep × 0.1 m² (for                              | 15       | Nr   | Local/ Imported |
|      | Measuring Bitumen Spray Quantity )                               |          |  | •               |
| 1210 | Purpose Made Detachable Handle 1.5 m                             | _        | Nim  | Local/Immontad  |
| J219 | Long To Enable The Above Trays To Be<br>Picked Up                | 6        | INT  | Local/ Imported |
| J220 | Parraffin Wax  | 150      | Vac  | Local/ Imported |
| _    |  |          | _  | 1               |
| J221 | Gas  | 4800     |  | Local/Imported  |
| J222 | Gunny Sack   | 7200     | Nr   | Local/ Imported |
| J223 | Plastic Bag 900 Mm × 450 Mm × 1000                               | 12000    | Nr   | Local/ Imported |
|      | Gauge   Plastic Bag 450 Mm × 300 Mm × 1000                       |          |  |                 |
| J224 | Gauge  | 6000     | Nr   | Local/ Imported |
|      | Filter Paper 150 Mm Dia. Watman No. 5 (                          |          | Nr   |                 |
| J225 | Boxes of 100)  | 300      |  | Local/ Imported |
| 1007 | Filter Paper 400 Mm Dia. Watman No. 5 (                          | 60       | 2.7  | T 1/T . 1       |
| J226 | Boxes of 101)  | 60       | Nr   | Local/ Imported |
| J227 | Filter Paper 100 Mm Dia. Watman No. 5 (                          | 60       | Nr   | Local/Imported  |
| 3227 | Boxes of 100)  | 00       | INI  | Local/ Imported |
| J228 | Trichloroethylene ( 205 Litre Drum )                             | 6        | Nr   | Local/ Imported |
| J229 | Cotton Waste ( Or Drying Cloths )                                | 300      | Kgs  | Local/ Imported |
|      | Filter Paper 270 Mm Dia. with 33 Mm Dia.                         |          |  |                 |
| J230 | Hole In Centre ,Watman No. 5 (Boxes of                           | 45       | Nr   | Local/ Imported |
|      | 100)   |          | Nr Set. Set. Nr Nr Kgs Kgs Nr Nr Nr Nr Nr Nr Kgs |                 |
| J231 | Filter Paper 400 Mm Dia. Watman No. 54 (                         | 30       | Nr   | Local/ Imported |
|      | Boxes of 100)  |          |  | 1               |
| J232 | Gas Cylinder Compatible with Stove                               | 300      | Nr   | Local/ Imported |
|      | Supplied Under Ltem 27 Set of Laboratory Cleaning And Washing Up | -        |  |                 |
| J233 | Equipment.   | 3        | Nr   | Local/ Imported |
|      | Set of Curtains for All Windows for The                          |          |  |                 |
| J234 | office And Laboratory  | 3        | Nr   | Local/ Imported |
|      | Preconditioning of Bitumen Samples Prior                         |          |  |                 |
|      | to Mixing or Testing   |          |  |                 |
| J235 | Heating oven   | 1        | Nr   | Local/ Imported |
| J236 | Aluminum foil, metal lids  | 1        | Nr   | Local/ Imported |
| J237 | Sample Containers  | 5        |  | Local/ Imported |
|      | Density of Bituminous Binders                                    | <u> </u> |  |                 |
| J238 | Balance accurate to 0.01grams                                    | 1        | Nr   | Local/ Imported |
| 3230 | Datance accurate to 0.01grants                                   | 1        | 111  | Local Imported  |

|      |   |       | UNIT | PLACE OF        |
|------|---|-------|------|-----------------|
|      |   | QUAN  | OF   | PURCHASE OF     |
| S/N  | ITEM DESCRIPTION  | TITY  | MEAS | ITEMS (Local    |
|      |   | (QTY) | URE  | or Imported)    |
| J239 | Standardized pycnometers  | 1     | Nr   | Local/ Imported |
| J240 | Water bath  | 1     | Nr   | Local/ Imported |
| J241 | Thermometer   | 1     | Nr   | Local/ Imported |
|      | Flash and Fire Point by Cleveland Open<br>Cup   |       |      |                 |
| J242 | Cleveland Open Cup apparatus  | 1     | Nr   | Local/ Imported |
| J243 | Square shield   | 1     | Nr   | Local/ Imported |
| J244 | Thermometer ASTM11C   | 1     | Nr   | Local/Imported  |
| J245 | Barometer   | 1     | Nr   | Local/ Imported |
| 02.0 | Density and Water Absorption of   | 1     | 111  | Zoom imported   |
|      | Aggregates Retrieved on a 4.75 mm Sieve   |       |      |                 |
| J246 | Heating oven  | 1     | Nr   | Local/ Imported |
|      | Density and Water Absorption of   |       |      |                 |
|      | Aggregates Passing the 4.75 mm Sieve  |       |      |                 |
| J247 | Pycnometer  | 1     | Nr   | Local/ Imported |
| J248 | Vacuum type dessicator  | 1     | Nr   | Local/ Imported |
| J249 | Vacuum Pump   | 1     | Nr   | Local/ Imported |
| J250 | Metal mould   | 1     | Nr   | Local/ Imported |
| J251 | Metal tamper  | 1     | Nr   | Local/ Imported |
|      | Indirect Tensile Strength Test  |       |      |                 |
| J252 | Typically marshall type test apparatus  | 1     | Nr   | Local/ Imported |
| J253 | An indirecet tensile stress loading frame   | 1     | Nr   | Local/ Imported |
|      | Determination of Binder Content and   |       |      |                 |
| 1254 | Aggregate Grading by Extraction   | 1     | N    | T 1/T 4 1       |
| J254 | Extraction apparatus  | 1     | Nr   | Local/Imported  |
| J255 | Electric hot plate Centrifuge with approx.3500 rotations per                                  | 1     | Nr   | Local/ Imported |
| J256 | minute  | 1     | Nr   | Local/ Imported |
| J257 | Centrifuge cylinders  | 1     | Nr   | Local/ Imported |
| J258 | Steel Rod 75mm Long ×3.2mm Diameter   | 1     | Nr   | Local/ Imported |
| J259 | Large flat pan  | 1     | Nr   | Local/ Imported |
| J260 | Heat insulated gloves   | 5     | Nr   | Local/ Imported |
| J261 | Solvent Proof goves   | 5     | Nr   | Local/ Imported |
|      | In situ Density and Moisture content of   |       |      |                 |
|      | bituminous layers in-place by nuclear   |       |      |                 |
| 1262 | methods.  | 1     | Na   | Local/Ist-1     |
| J262 | Nucleus density instrument  | 1     | Nr   | Local/ Imported |
|      | Standard practice for accelerated aging of asphalt binder using a Pressure Aging Vessel (PAV) |       |      |                 |
| J263 | Pressure Aging Vessel (PAV)   | 1     | Nr   | Local/ Imported |
|      | Standard test method for determining the  |       |      | •               |
|      | rheological properties of asphalt binder<br>using a Dynamic Shear Rheometer (DSR)             |       |      |                 |

|       |  |       | LIMIT      | DI ACE OF               |
|-------|--|-------|------------|-------------------------|
|       |  | QUAN  | UNIT<br>OF | PLACE OF<br>PURCHASE OF |
| S/N   | ITEM DESCRIPTION   | TITY  | MEAS       | ITEMS (Local            |
|       |  | (QTY) | URE        | or Imported)            |
| J264  | Dynamic Shear Rheometer (DSR)                              | 1     | Nr         | Local/ Imported         |
| 3204  | Standard test method for viscosity                         | 1     | 111        | Local/ Imported         |
|       | determination of asphalt binder using                      |       |            |                         |
|       | Rotational Viscometer                                      |       |            |                         |
| J265  | Rotational Viscometer                                      | 1     | Nr         | Local/ Imported         |
|       | Standard method for preparing and                          |       |            | 1                       |
|       | determining the density of hot mix asphalt                 |       |            |                         |
|       | (HMA) specimens by means of the                            |       |            |                         |
|       | Superpave Gyratory Compactor                               |       |            |                         |
| J266  | Superpave Gyratory Compactor                               | 1     | Nr         | Local/ Imported         |
|       | Flash and Fire Points by Cleveland Open                    |       |            |                         |
|       | Cup (more common for asphalt cement                        |       |            |                         |
|       | used in HMA)   |       |            |                         |
| J267  | Flash points test machine                                  | 1     | Nr         | Local/ Imported         |
| J268  | Fire points test machine                                   | 1     | Nr         | Local/ Imported         |
|       | <b>Determining Rutting Susceptibility of</b>               |       |            |                         |
|       | Asphalt Paving Mixtures Using the                          |       |            |                         |
|       | Asphalt Pavement Analyzer (APA)                            |       |            |                         |
| J269  | Asphalt Pavement Analyzer (APA)                            | 1     | Nr         | Local/ Imported         |
|       | Viscosity of Asphalts by Vacuum Capillary                  |       |            |                         |
| 72.70 | Viscometer   |       |            | 7 1/7                   |
| J270  | Vacuum Capillary Viscometer                                | 1     | Nr         | Local/ Imported         |
|       | Additional equipment in special                            |       |            |                         |
|       | specification Troxler or equivalent Nuclear Field Density  |       |            |                         |
|       | Testing Machine, capable of measuring                      |       |            |                         |
| J271  | density and air voids in asphalt concrete                  | 2     | Nr         | Local/ Imported         |
|       | layers.  |       |            |                         |
| 1272  | Speedy Moisture Tester set complete with                   | 2     | N          | T 1/T 4 1               |
| J272  | accessories and supplies of Calcium Carbide.               | 2     | Nr         | Local/ Imported         |
| J273  | Dynamic Cone Penetrometer (DCP) with                       | 1     | Nr         | Local/Imported          |
| J2/3  | adequate supply of disposable cones.                       | 1     | INI        | Local/ Imported         |
| J274  | Gyratory compactor   | 1     | set.       | Local/ Imported         |
| J275  | platform scale - 100 kg capacity, sensitive to             | 1     | Nr         | Local/ Imported         |
| 3213  | 20 g.  | 1     | 111        | Local Imported          |
| J276  | electronic top-pan balance 2 500 g capacity,               | 2     | Nr         | Local/ Imported         |
|       | sensitive to 0.01 g.                                       |       |            | 1                       |
| J277  | balances for field use, capacity 5 kg, sensitive to 1.0 g. | 2     | Nr         | Local/ Imported         |
|       | complete sets of sieves with pans, covers,                 |       |            |                         |
|       | brushes and electrical sieve shakers - max                 |       |            |                         |
| J278  | sieve size 63 mm - plus a sample splitter                  | 3     | set.       | Local/ Imported         |
|       | (Gilson or equivalent) plus sufficient sample              |       |            |                         |
|       | bags etc. for field sampling.                              |       |            |                         |
| I     | Services   |       |            |                         |
| I1    | Insurance for the Work                                     | 1     | Contra     | Local                   |
|       | mourance for the Work                                      | 1     | ct         | Local                   |

#### GN. No. 5 (contd.)

| S/N | ITEM DESCRIPTION  | QUAN<br>TITY<br>(QTY) | UNIT<br>OF<br>MEAS<br>URE | PLACE OF<br>PURCHASE OF<br>ITEMS (Local<br>or Imported) |
|-----|-------------------|-----------------------|---------------------------|---|
| I2  | Vehicle Insurance | 1                     | Contra<br>ct              | Local   |

| S/N | ITEM DESCRIPTION   | QUAN    | UNIT OF  | PLACE OF        |
|-----|--|---------|----------|-----------------|
|     |  | TITY    | MEASU    | PURCHASE OF     |
|     |  | (QTY)   | RE       | ITEMS (Local    |
|     |  |         |          | or Imported)    |
| I3  | Insurance for Personnel  | 1       | Contract | Local           |
| I4  | Transportation   | 3       | Contract | Local           |
| 15  | Internet   | 1       | Contract | Local           |
| I6  | Air Ticket   | 2       | Contract | Local           |
| I7  | Services for construction of the ENGINEER'S ACCOMMODATION and OFFICES  | 1       | Contract | Local           |
| 18  | Services for HIV/AIDS, STIs, STDs AND<br>CHILD ABUSE,SEXUAL<br>HARRASMENT PREVENTION AND<br>AWARENESS PROGRAMS AND<br>TRAINING | 1       | Contract | Local           |
| I9  | Services for ROAD SAFETY IMPROVEMENT, TRAINING AND AWARENESS PROGRAMS  | 1       | Contract | Local           |
| I10 | Services for STONE PITCHING,<br>RIPRAP AND GABIONS   | 3       | Contract | Local           |
| I11 | Services for ELECTRICAL WORKS  | 1       | Contract | Local           |
| I12 | Services for DRILLING BOREHOLE WORKS   | 1       | Contract | Local           |
| I13 | Services for STREET LIGHT  | 1       | Contract | Local           |
| I14 | Maintenance for Equipment &Vehicles  | 1       | Contract | Local           |
| Н   | Lubricants   |         |          |                 |
| H1  | Engine Oil   | 300000  | Litres   | Local/ Imported |
| H2  | Hydraulic Oil  | 300000  | Litres   | Local/ Imported |
| Н3  | Gear Oil   | 300000  | Litres   | Local/ Imported |
| H4  | Grease   | 800,000 | Litres   | Local/ Imported |
| H5  | Heat Conducting Oil  | 150000  | Litres   | Local/ Imported |

Dodoma, 17<sup>th</sup> December, 2020 PHILIP. I. MPANGO, Minister of Finance and Planning